

Лекарствени продукти без лекарско предписание в Република България към дата 06.12.2021 г.

Настоящият списък не включва лекарствени продукти с изтекло разрешение за употреба, въпреки че те могат да бъдат продавани до изчерпване на наличните количества в страната, но не повече от една година от датата на изтичане на разрешението за употреба (съгласно чл. 55, ал. (6) от ЗЛПХМ).

В случай на положително становище при процедура по подновяване на разрешението за употреба те ще бъдат добавени към списъка.

Повече информация за продуктите в списъка можете да получите на сайта:

<https://www.bda.bg/bg/лекарства-за-гражданите/продуктова-информация>

При установяване на неточности и пропуски можете да се обадите на тел: 02 890 35 21 или е-mail: bg-h-qrd@bda.bg

| Свободно избрано име | Лекарствена форма и количество на активното вещество в дозова единица | INN | АТС код | Притежател на разрешението за употреба |
|----------------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------|---------|----------------------------------------|
| Acard | 75 mg gastro-resistant tablets, blisters x 30; x 60 | <i>Acetylsalicylic acid</i> | B01AC06 | Pharmaceutical Works Polpharma S.A. |
| Acard | 150 mg gastro-resistant tablets, blisters x 30; x 60 | <i>Acetylsalicylic acid</i> | B01AC06 | Pharmaceutical Works Polpharma S.A. |
| Acarol | 12,5% cutaneous liquid x 100 ml | <i>Benzyl benzoate</i> | P03AX01 | Весфарм ООД |
| Acarol | 25% cutaneous liquid x 100 ml | <i>Benzyl benzoate</i> | P03AX01 | Весфарм ООД |
| ACC | 100 mg powder for oral solution x 20; x 50; x 100 | <i>Acetylcysteine</i> | R05CB01 | HEXAL AG |
| ACC | 200 mg powder for oral solution x 20; x 50; x 100 | <i>Acetylcysteine</i> | R05CB01 | HEXAL AG |
| ACC | 200 mg effervescent tablets,sachets x 20; x 40; x 50; x 100 | <i>Acetylcysteine</i> | R05CB01 | Sandoz d.d |
| ACC | 600 mg effervescent tablets sachets x 10; x 20; x 30; x 50; x 60; опаковки x 10; x 20; x 30; x 60 x 10, x 20, x 50 | <i>Acetylcysteine</i> | R05CB01 | Sandoz d.d |
| ACC acute | 200 mg powder for oral solution x 20 | <i>Acetylcysteine</i> | R05CB01 | HEXAL AG |
| ACC Direct | 600 mg oral powder x 8; x 10; x 14; x 20; x 30; x 60; x 90 | <i>Acetylcysteine</i> | R05CB01 | Sandoz d.d |
| ACC Honey and Lemon | 600 mg powder for oral solution x 6; x 10 | <i>Acetylcysteine</i> | R05CB01 | HEXAL AG |
| ACC Syrup | 20 mg/ml oral solution x 100 ml x 200 ml | <i>Acetylcysteine</i> | R05CB01 | HEXAL AG |
| AceCys | 200 mg powder for oral solution x 20 sachets | <i>Acetylcysteine</i> | R05CB01 | Химакс Фарма ЕООД |

| | | | | |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|---------------------|-------------------------------------------|
| AceCys acute | 600 mg powder for oral solution x 10 | <i>Acetylcysteine</i> | R05CB01 | Химакс Фарма ЕООД |
| Aceffein | tablets x 10 | <i>Acetylsalicylic acid/Caffeine/Codeine phosphate/Paracetamol</i> | N02BA00 | Тева Фарма ЕАД |
| Acerbine | cutaneous solution -30 ml; 80 ml | <i>Salicylic acid/Benzoic acid/ Malic acid</i> | D03AX | Pharmazeutische Fabrik Montavit Ges.m.b.H |
| Acerbine | ointment 30g | <i>Salicylic acid/Benzoic acid/ Malic acid</i> | D03AX | Pharmazeutische Fabrik Montavit Ges.m.b.H |
| Acessal Protect | 100 mg gastro-resistant tablets x 40 | <i>Acetylsalicylic acid</i> | B01AC06 | Химакс Фарма ЕООД |
| Acetylin | 500 mg tablets x 20; x 100 | <i>Acetylsalicylic acid</i> | B01AC6, | Софарма АД |
| Acetylin C | 400 mg/240 mg effervescent tablets x 10 | <i>Acetylsalicylic acid</i> | B01AC6, N02BA01 | Софарма АД |
| Acetylin Protect | 100 mg gastro-resistant tablets x 30 | <i>Acetylsalicylic acid</i> | B01AC6, N02BA01 | Софарма АД |
| Acetysal | 500 mg tablets x 20 | <i>Acetylsalicylic acid</i> | N02BA01. B01AC06 | Тева Фарма ЕАД |
| Acetysal Cardio | 75 mg gastro-resistant tablets blisters x 10; x 20; x 28; x 30; x 50; x 56; x 60; x 90; x 100 containers x 10; x 30; x 50; x 100; x 500 | <i>Acetylsalicylic acid</i> | B01AC06 | Actavis Group PTC ehf. |
| Acetysal Cardio | 100 mg gastro-resistant tablets blisters x 10; x 20; x 28; x 30; x 50; x 56; x 60; x 90; x 100 containers x 10; x 30; x 50; x 100; x 500 | <i>Acetylsalicylic acid</i> | B01AC06 | Actavis Group PTC ehf. |
| Acic | cream 5% - 2g | <i>Aciclovir</i> | D06BB03 | HEXAL AG |
| Aciclovir ABR | 50 mg/g cream - 5g; 10g | <i>Aciclovir</i> | D06BB03 | Антибиотик-Разград АД |
| Acne Out BP | 5% gel x 20 g | <i>Benzoyl peroxide</i> | D10AE01 | Биотрейд България ООД |
| Acyclostad | 5% cream - 2g | <i>Aciclovir</i> | D06BB03 | Stada Arzneimittel AG |
| Aflamil | 15 mg/g cream - 60 g | <i>Aceclofenac</i> | M01AB16 | Gedeon Richter Plc |
| Aflu Theiss | oral drops, solution x 20; x 30; x 50; x 100 ml | <i>Хомеопатичен лек. продукт</i> | R05X | Dr Theiss Naturwaren GmbH |
| Aflubin | tablets x 12; x 24; x 36; x 48 | <i>Хомеопатичен лек. продукт</i> | | Richard Bittner AG |
| Aflubin | oral drops, solution - 20 ml; 50 ml | <i>Хомеопатичен лек. продукт</i> | | Richard Bittner AG |

| | | | | |
|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------|---------|--------------------------------------|
| Afrin | 0,05% mg/ml nasal spray, solution - 20 ml | <i>Oxymetazoline</i> | R01AA05 | Байер България ЕООД |
| Afrin ND | 0,5 mg/ml nasal spray, solution x15 ml | <i>Oxymetazoline</i> | R01AA05 | Байер България ЕООД |
| Afrin ND menthol | 0,5 mg/ml nasal spray, solution 1 x 15 ml | <i>Oxymetazoline</i> | R01AA05 | Байер България ЕООД |
| Alcoholic iodine solutio 5 per cent- Flo | 5% cutaneous solution x 25 ml; x 50 ml; x 900 ml | <i>Iodine</i> | D08AG03 | Флора - 02 ООД |
| Alcoholic iodine solution 5% | 5% cutaneous solution - 25 ml; - 50 ml; 900 ml | <i>Iodine</i> | D08AG03 | Тони М ООД |
| Algesal suractive | cream - 40 g | <i>Dimethylamine salicylate/Myrtecaine</i> | M02AC00 | Solvay Pharma |
| Algozone | 500 mg tablets x 20 | <i>Metamizole sodium</i> | A02BB02 | Elantis Фарма Румъния |
| Algozone Plus | 500 mg/38,75 mg/50 mg tablets x 9 x 18 x 20 x 27 | <i>Caffein/Metamizole sodim/Thiamine hydrochloride</i> | N02BB52 | Адифарм ЕАД |
| Alka-Seltzer | 324 mg effervescent tablets x 10; x 20 | <i>Acetylsalicylic acid</i> | N02BA01 | Байер България ЕООД |
| Allegra | 120 mg film-coated tablets x 10; x 30 | <i>Fexofenadine hydrochloride</i> | R06AX26 | Санofi-Авентис България ЕООД |
| Allergodil | 1% nasal spray, solution - 10 ml | <i>Azelastine hydrochloride</i> | R01AC03 | Майлан ЕООД |
| Allergodil S | 0,15% nasal spray, solution - 5 ml; 10 ml; 17 ml; 20 ml; 22 ml x 1 | <i>Azelastine hydrochloride</i> | R01AC03 | Майлан ЕООД |
| Allergosan | 1% cream - 18g; 60 g | <i>Chloropyramine</i> | D04AA09 | Софарма АД |
| Allergosan | 1% ointment - 18g | <i>Chloropyramine</i> | D04AA09 | Софарма АД |
| Allergosan без лекарско предписание за възрастни и деца над 14 години | 25 mg coated tablets x 20 | <i>Chloropyramine</i> | D04AA09 | Софарма АД |
| Allertesin | 10 mg coated tablets x 7; x 20 | <i>Cetirizine dihydrochloride</i> | R06AE07 | Warsaw Pharmaceutical Works Polfa SA |
| Alli | 27 mg chewable tablet, bottle x 42; x 60; x 84; x 90; x 120 | <i>Orlistat</i> | A08AB01 | Glaxo Group Ltd. |
| Alli | 60 mg capsules x 42; x 60; x 84; x 90; 120 | <i>Orlistat</i> | A08AB01 | Glaxo Group Ltd. |
| Almagel | 400 mg/400 mg chewable tablets x 10; x 20; x 30 | <i>Aluminium hydroxide /Magnesium hydroxide</i> | A02AB10 | Actavis Group PTC ehf.. |
| Almagel | 436 mg/150 mg/10 ml oral suspension - 10 ml x 10; 10 ml x 20; 170 ml x 1; 200 ml x 1 | <i>Aluminium hydroxide /Magnesium hydroxide</i> | A02AB10 | Тева Фарма ЕАД |

| | | | | |
|-------------------------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------|---------|---------------------------|
| Almalox | 680 mg/790 mg/72 mg/10 ml oral suspension - 10 m | <i>Magnesium hydroxide/Aluminium hydroxide/ Simethicone</i> | A02AF02 | Тева Фарма ЕАД |
| Almiral | 1.16 % gel - 25g; 50g; 100g; 250g | <i>Diclofenac</i> | M02AA15 | Medochemie Ltd. |
| Alumi gel | 345,8 mg/113 mg/5 ml oral suspension - 170 ml | <i>Aluminium hydroxide/Magnesium hydroxide</i> | A02AD01 | Софарма АД |
| Alvofen Express | 200 mg capsules, soft x 10; x 12; x 20; x 30; x 50 | <i>Ibuprofen</i> | M01AE01 | Alvogen IPCo.S.ar. I. |
| Alvofen Express | 400 mg capsules, soft x 10; x 12; x 20; x 30; x 50 | <i>Ibuprofen</i> | M01AE01 | Alvogen IPCo.S.ar. I. |
| Ambixol без лекарско предписание при възрастни и деца над 2 | 15 mg/5 ml syrup - 100 ml | <i>Ambroxol</i> | R05CB06 | Софарма АД |
| Ambrex | 15 mg/5ml syrup - 100ml | <i>Ambroxol</i> | R05CB06 | Нобел Фарма ООД |
| Ambrex | 30 mg/5ml syrup - 150ml | <i>Ambroxol</i> | R05CB06 | Нобел Фарма ООД |
| Ambro | 30 mg tabl. x 20; x 50; x 100 | <i>Ambroxol</i> | R05CB06 | HEXAL AG |
| Ambro без лекарско предписание за възрастни и деца над 2 г | 3 mg/ml oral solution– 100 ml; 250 ml | <i>Ambroxol</i> | R05CB06 | HEXAL AG |
| Ambrolex R | 75 mg prolonged-release capsules, hard x 10; x 20; x 50 | <i>Ambroxol</i> | R05CB06 | Aliud Pharma GmbH & Co.KG |
| Ambrolytin | 30 mg/5 ml syrup - 120 ml; 200 ml | <i>Ambroxol</i> | R05CB06 | Софарма АД |
| Ambrolytin | 15 mg/5 ml syrup - 100 ml | <i>Ambroxol</i> | R05CB06 | Софарма АД |
| Ambrolytin | 30 mg tablets - x 20; x 30; x 50 | <i>Ambroxol</i> | R05CB 6 | Софарма АД |
| Ambroxol hydrochloride Fontane | 15 mg/5 ml oral solution 1 x 100 ml | <i>Ambroxol</i> | R05CB06 | Fontane Pharma GmbH |
| Ambroxol hydrochloride Fontane | 30 mg/5 ml oral solution - 100 ml | <i>Ambroxol</i> | R05CB06 | Fontane Pharma GmbH |
| Ambroxol VP | 30 mg/5 ml syrup x 100 ml; x 120 ml | <i>Ambroxol</i> | R05CB06 | ДАНСОН-БГ ООД |
| Anaesthesol Galen Pharma | 1 g/100 ml + 2,5 g/100 ml + 1 g/100 ml cutaneous solution - 100 ml | <i>Benzocaine/ Procaine hydrochloride/ Levomenthol</i> | N01BA52 | Гален Фарма ООД |
| Anaesthesol Kupro | cutaneous solution - 100 ml | <i>Benzocaine/ Procaine hydrochloride/ Levomenthol</i> | N01BA52 | Купро 94 ЕООД" |

| | | | | |
|--------------------------|--------------------------------------------------------------|-------------------------------------------------------------|---------|-----------------------------|
| Anaesthezol - Flo | 1.0g/100g+1.0g/100g+2.5g/100 g cutaneous solution – 100 ml | <i>Benzocaine/ Procaine hydrochloride/ Levomenthol</i> | N01BA52 | Флора - 02 ООД |
| Anaferon for Children | tablets x 20 | <i>Хомеопатичен лекарствен продукт</i> | | УАВ Santonika |
| Analgin | 500 mg tablets x 10; x 20; x 60; x 500 (hospital use) | <i>Metamizole sodium</i> | N02BB02 | СофармаАД |
| Analgin | 500 mg/ml oral drops, solution -20 ml | <i>Metamizole sodium</i> | N02BB02 | СофармаАД |
| Analgin Chin | 250 mg film - coated tablets x 10; x 20 | <i>Metamizole sodium</i> | N02BB02 | СофармаАД |
| Analgin Max | 1000 mg effervescent powder x 6; x 10; x 20 | <i>Metamizole sodium</i> | N02BB02 | Адифарм ЕАД |
| Anervina | oral drops, solution – 50 ml | <i>Sodium bromide/Ammonium bromide/ Potassium bromide/</i> | N05CM11 | Химакс Фарма ЕООД" |
| Anesthesol | cutaneous solution – 60 ml | <i>Benzocaine/Procaine hydrochloride/Menthol</i> | N01BA52 | "Тони-М" ООД |
| Anesthesol Chemax Pharma | 1,0 g/100g/+1,0g/100g+2,5g/100 g cutaneous solution – 100 ml | <i>Benzocaine/Procaine hydrochloride/Levomenthol</i> | N01BA52 | Химакс Фарма ЕООД |
| Anesthesol VT | 1g/100ml+2,5g/100ml+1g/100 ml cutaneous solution – 100 ml | <i>Benzocaine /Levomenthol/ Procaine</i> | D04AB | ВЕТА ФАРМА АД |
| Anesthesol Kupro | 1,0/100g+2,5g/100g+1.0/100g cutaneous solution - 100 ml | <i>Benzocaine/Procaine hydrochloride/Menthol</i> | N01BA52 | "Купро 94" ООД |
| ANGAL HONEY | 5 mg/1 mg compressed lozenges x 24 | <i>Chlorhexidine</i> | R02AA05 | Sandoz Pharmaceuticals d.d. |
| Angal Intensive | 8,75 mg lozenges x 8; x 10; x 16; x 24 | <i>Lidocaine hidrochloride/ Chlorhexidine hydrochloride</i> | R02AA05 | Sandoz d.d. |
| Angal Lemon | 5 mg/1 mg compressed lozenges x 12; x 24; x 36 ; x 48 | <i>Lidocaine hidrochloride/Chlorhexidine hydrochloride</i> | R02AA05 | Sandoz d.d. |
| Angal Lemon | 2 mg/ml+0,5 mg/ml oromucosal spray, solution | <i>Lidocaine hidrochloride/Chlorhexidine hydrochloride</i> | R02AA05 | Sandoz d.d. |
| Angal menthol | 2 mg/ ml + 0,5 mg/ ml oromucosal spray, solution - 30 ml | <i>Lidocaine hidrochloride/Chlorhexidine hydrochloride</i> | R02AA05 | Sandoz d.d. |
| Angal Mentol | 5 mg/1 mg compressed lozenges x 12; x 24; x 36, x 48 | <i>Lidocaine hidrochloride/Chlorhexidine</i> | R02AA05 | Sandoz d.d. |

| | | | | |
|-----------------------------------------------------------------|------------------------------------------------------------|-----------------------------------------------------------|---------|--------------------------------------------------------|
| ANGAL STRAWBERRY FOR KIDS | 5 mg/1 mg compressed lozenges x 24 | <i>Chlorhexidine</i> | R02AA05 | Sandoz Pharmaceuticals d.d. |
| Angetop | 500 mg tablets x 20 | <i>Metamizole sodium</i> | N02BB02 | Инбиотех ООД |
| Angin-Heel S | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Anopyrin | 100 mg tabl. x 20; x 50; x 60 | <i>Acetylsalicylic acid</i> | N02BA01 | САНОФИ БЪЛГАРИЯ ЕООД |
| Antimyc-Acid Chemax Pharma | 8g/100 g+8g/100g cutaneous solution – 50 ml | <i>Salicylic acid/Benzoic acid</i> | D01AE20 | Химакс Фарма ЕООД |
| Antimyc- Acid VT | 8g/100 ml+8g/100ml cutaneous solution –50 ml | <i>Salicylic acid/Benzoic acid</i> | D01AE20 | ВЕТА ФАРМА АД |
| Antimyc- Beta Chemax Pharma | 5g/100 g+1g/100 g cutaneous solution – 50 ml | <i>Salicylic acid/Benzoic acid</i> | D01AE20 | Химакс Фарма ЕООД |
| Antimyc- Beta VT | 5g/100 g+1g/100 g cutaneous solution – 50 ml | <i>Salicylic acid/Benzoic acid</i> | D01AE20 | ВЕТА ФАРМА АД |
| Antimyc-Acid Galen-Pharma | cutaneous solution 8 g/100 ml + 8 g/100 ml - 50 ml; 100 ml | <i>Salicylic acid/Benzoic acid</i> | D01AE20 | Гален Фарма ООД |
| Antimyc-Acid Kupro | 8.0g/100 g+8.0g/100 g cutaneous solution - 50 ml | <i>Salicylic acid/Benzoic acid</i> | D01AE20 | Купро 94" ООД" |
| Antimycobeta - Forte | 10 g/100 ml+2g/100 ml cutaneous solution - 50 ml | <i>Salicylic acid/Benzoic acid</i> | D01AE20 | Купро 94 ЕООД" |
| Antimyc-Beta Galen-Pharma | 5g/100 g+1g/100 g cutaneous solution | <i>Salicylic acid/2-naphtol</i> | D01AE20 | Гален Фарма ООД |
| Anzibel Classic | 5 mg/4 mg/3 mg compressed lozenge x 10; x 20; x 30 | <i>Benzocaine/Chlorhexidine hydrochloride/ Enoxolone</i> | R02A | Нобел Фарма ООД |
| Anzibel honey and lemon | 5 mg/4 mg/3mg compressed lozenge x 10; x 20; x30 | <i>Benzocaine/ Chlorhexidine hydrochloride/ Enoxolone</i> | R02A | Нобел Фарма ООД |
| Anzibel Menthol | 5 mg/ 4 mg/ 3 mg compressed lozenges x 10; x 20; x 30 | <i>Benzocaine/ Chlorhexidine hydrochloride/ Enoxolone</i> | R02A | Нобел Фарма ООД |
| Аpiri | 100 mg gastro-resistant tablets x 20; x 30; x 150 | <i>Acetylsalicylic acid</i> | B01AC06 | Чайкафарма Висококачествените лекарства" АД" |
| APIS Mellifica (група от 198 хомеопатични лекарствени продукти) | pillules x 4g: 5CH, 9CH, 15CH, 30CH | <i>Хомеопатичен лек. продукт</i> | | Voiron |
| Аpis mellifica (група от 9 хомеопатични лекарствени продукти) | D6 pillules D10, D30 и D1000 | <i>Хомеопатичен лек. продукт</i> | | Deutsche HomoopathieUnion, DHU Arzneimittel GmbH&Co.KG |

| | | | | |
|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-------------------------------------------|------------------|------------------------------------------------------------|
| Areston instant | 12,5 mg film-coated tablets x 10; x 20; x 30; x 40 | <i>Diclofenac</i> | M01AB05 | Medochemie Ltd. Кипър |
| Arnica D6; D10, D30; D1000 (група от 89 хомеопатични лекарствени продукти) | pillules - 10g | <i>Хомеопатичен лек. продукт</i> | | Deutsche Homoopathie-Union, DHU-Arzneimittel GmbH & Co. KG |
| ARNICA MONTANA (група от 790 хомеопатични лекарствени продукти) | 4 g pillules x 5CH, 9CH, 15CH, 30CH | <i>Хомеопатичен лек. продукт</i> | | Boiron |
| Arnigel 7% | gel - 45 g | <i>Хомеопатичен лек. продукт</i> | | Boiron |
| Arnikamed Dolor | gel x 50 g; x 100 g | <i>Растителен лекарствен продукт</i> | M02AX10 | Dr. Theiss Naturwaren GmbH |
| Arsenicum Album (група от 204 хомеопатични лекарствени продукти) | 4g pillules x 5 CH, 9 CH, 15 CH, 30 CH | <i>Хомеопатичен лек. продукт</i> | | Boiron |
| Artelac | 3, 2 mg/ml drops eye - 10 ml x 1; x 3 | <i>Hypromellose</i> | S01KA02 | Dr. Gerhard Mann Chem. |
| Artron A | 1500 mg powder for oral solution in sachet | <i>Glucosamine</i> | M01AX05 | Фортекс Нутрасютикалс ООД |
| ASA Krka | 75 mg gastro-resistant tablets x 28; x 30; x 50; x 56; x 60; x 84; x 90; x 100 | <i>Acetylsalicylic acid</i> | B01AC06 | Krka, d.d., Novo mesto |
| ASA Krka | 100 mg gastro-resistant tablets x 28; x 30; x 50; x 56; x 60; x 84; x 90; x 100; x 168 | <i>Acetylsalicylic acid</i> | B01AC06 | Krka, d.d., Novo mesto |
| Aspetax Adipharm | 300 mg film - coated tablets x 100 | <i>Acetylsalicylic acid</i> | B01AC06, N02BA01 | Адифарм ЕАД |
| Aspetax Adipharm | 500 mg tablets x 20; x100 | <i>Acetylsalicylic acid</i> | N02BA01 | Адифарм ЕАД |
| Aspetax Protect Adipharm | 100 mg gastro-resistant tablets x 10; x 15; x 20; x 30; x 40; x 45; x 50; x 60; x 75; x 80; x 90; x 100 | <i>Acetylsalicylic acid</i> | N02BA01 | Адифарм ЕАД |
| Aspetax Protect Adipharm | 75 mg gastro-resistant tablets x 15; x 20; x 30; x 40; x 45; x 60; x 75; x 80; x 90; x 100 | <i>Acetylsalicylic acid</i> | B01AC06 | Адифарм ЕАД |
| Aspetax Protect Adipharm | 100 mg gastro-resistant tablets 3 x 10; 10 x 10 | <i>Acetylsalicylic acid</i> | N02BA01 | Адифарм ЕАД |
| Aspirin C | 400 mg/240 mg effervescent tablets x 10; x 20 | <i>Acetylsalicylic acid/Ascorbic acid</i> | N02BA51 | Байер България ЕООД |
| Aspirin C Forte | 800 mg/480 mg effervescent tablets x 10; x 20 | <i>Acetylsalicylic acid/Ascorbic acid</i> | N02BA51 | Байер България ЕООД |

| | | | | |
|---------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------|--------------------|-------------------------------|
| Aspirin Complex | 500 mg /30 mg granules for oral suspension x 10 (5 x 2); x 20 (10 x 2) | <i>Acetylsalicylic acid/Pseudoephedrine</i> | N02BA01 R01BA02 | Байер България ЕООД |
| Aspirin Complex Hotdrink | 500 mg/30 mg granules for oral suspension x 10; x 20 | <i>Acetylsalicylic acid/Pseudoephedrine</i> | N02BA01 R01BA02 | Байер България ЕООД |
| Aspirin Protect | 100 mg gastro-resistant tablets x 10; x 20; x 40; x 50; x 90 | <i>Acetylsalicylic acid</i> | B01AC06 | Байер България ЕООД |
| Aspirin Ultra | 500 mg coated tablets x 8; x 20; x 40; x 80 | <i>Acetylsalicylic acid</i> | N02BA01 | Байер България ЕООД |
| Aulin | 3% w/w gel - 30 g x 1; 50 g x 1; 100 g x 1 | <i>Nimesulide</i> | M02AA26 | Анджелини Фарма България ЕООД |
| AVIAIRE (група от 37 хомеопатични лекарствени продукти) | pillules x 4g: 5CH, 9CH, 15CH, 30CH | <i>Хомеопатичен лек. продукт</i> | | Voiron |
| Azpizal | 325 mg film- coated tablets x 100 | <i>Acetylsalicylic acid</i> | N02BA01 | Генерика Информ Импекс ЕООД |
| Baby Colic | tablets x 125 | <i>Хомеопатичен лекарствен продукт</i> | | Джи Ай Ай партньрс ООД |
| Baneocin | 5000IU /250IU /g ointment - 20g x 1 | <i>Bacitracin Zinc/Neomycin sulphate</i> | D06AX | Sandoz GmbH |
| Baneocin | 5000 IU /250IU /g cutaneous powder 1 x 10 g; 1 x 60 g | <i>Bacitracin Zinc/Neomycin sulphate</i> | D06AX | Sandoz GmbH |
| Batrafen | 80 mg/g medicated nail lacquer - 3g | <i>Ciclopirox</i> | D01AE14 | Санофи-Авентис България ЕООД |
| Benalgin | 500 mg/50 mg/38,75 mg tablets x 10; x 20 | <i>Metamizole sodium/ Caffeine/ Vit. B1</i> | N02BB52 | Тева Фарма ЕАД |
| Benalgin Rapid | 500 mg/50 mg/37,61 mg powder for oral solution x 10 | <i>Metamizole sodium/ Caffeine/Thiamine nitrate</i> | N02BB52 | Тева Фарма ЕАД |
| Benfogamma | 50 mg coated tablets x 30; x 50; x 60; x 100 | <i>Benfotiamine</i> | A11DA01 | Woerwag Pharma GmbH & Co. KG |
| Bengay | 150 mg/100 mg/g ointment - 50 g | <i>Menthol/Methyl salicylate</i> | M02AX10 | McNeil Products Limited. |
| Benlek | 500 mg/50 mg/37,61 mg powder for oral solution x 10 | <i>Metamizole sodium/ Thiamine hydrochloride/ Caffeine</i> | N02BB52 | Адифарм ЕАД |
| Benlek | 500 mg/38,75 mg/50 mg tablets x 9 x 18 x 20 x 27 | <i>Metamizole sodium/ Thiamine hydrochloride/ Caffeine</i> | N02BB52 | Адифарм ЕАД |

| | | | | |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|----------|----------------------------------|
| Benlek Express | 500 mg/50 mg/37,61 mg powder for oral solution x | <i>Metamizole sodium monohydrate/ Caffeine/Thiamine nitrate</i> | N02BB 52 | Адифарм ЕАД |
| Berberis-Homaccord | oral drops, solution – 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Bestaren | 25 mg film - coated tablets x 10 x 20 | <i>Dexketoprofen</i> | M01AE17 | Беста Мед ЕООД |
| Bezaleria | 5 mg film-coated tablets x 7; x 10; x 14; x 15; x 20; x 21; x 28; x 30; x 40; x 50; x 56; x 60; x 70; x 90; x 100; x 112; x 120 | <i>Levocetirizine dihydrochloride</i> | R06AE09 | Sandoz d.d. |
| Bilobil | 40 mg capsules, hard x 20 x 60 | <i>Ginkgo bilobae</i> | N06DX02 | KRKA, d.d. Novo Mesto |
| Bilobil forte | 80 mg capsules, hard x 20; x 60 | <i>Ginkgo bilobae</i> | N06DX02 | KRKA, d.d. Novo Mesto |
| Bilobil Intense | 120 mg capsules, hard x 20 (2 x 10); x 60 (6 x 10) | <i>Ginkgo bilobae</i> | N06DX02 | KRKA, d.d. Novo Mesto |
| Bioelectra magnesium | 300 hard capsules x 10; x 20; x 40 | <i>Magnesium</i> | A12CC30 | Вебра Интернешънъл АД |
| Bioelectra magnesium 365 fortissimum | 365 mg effervescent tablets x 20; x 40 | <i>Magnesium</i> | A12CC30 | Вебра Интернешънъл АД |
| Bisacodyl Sopharma | 5 mg suppositories x 6 | <i>Bisacodyl</i> | A06AB02 | Софарма АД |
| Bisacodyl Sopharma | 10 mg suppositories x 6 | <i>Bisacodyl</i> | A06AB02 | Софарма АД |
| Bisalax | tablets gastro-resistant 5 mg x 30 | <i>Bisacodyl</i> | A06AB02 | Тева Фарма ЕАД |
| BLOCTIL | 100 mg hard capsules x 6; x 10 | <i>Racecadotril</i> | A07XA04 | Rivopharm Ltd. |
| BlokMAX | 200 mg film-coated tablets x 10; x 20 | <i>Ibuprofen</i> | M01AE01 | Alkaloid-INT d.o.o. |
| BlokMax Duo | 200 mg/500 mg film-coated tablets x 10; x 20 | <i>Ibuprofen/Paracetamol</i> | M01AE51 | Alkaloid-INT d.o.o. |
| BlokMAX for kids | 100 mg/5 ml oral suspension - 100 ml | <i>Ibuprofen</i> | M01AE01 | Alkaloid-INT d.o.o. |
| BlokMAX for kids | 200 mg/5 ml oral suspension 100 ml | <i>Ibuprofen</i> | M01AE01 | Alkaloid-INT d.o.o. |
| BlokMAX FORTE | 400 mg film-coated tablets x 10; x 20 | <i>Ibuprofen</i> | M01AE01 | Alkaloid-INT d.o.o. |
| BlokMAX Rapid | 400 mg film-coated tablets x 10; x 12; x 20; x 24 | <i>Ibuprofen</i> | M01AE01 | Alkaloid-INT d.o.o. |
| BONARTOS | 1178 mg film-coated tablets - bottles x 30; x 90; blisters: x 4; x 10; x 20; x 30; x 45; x 60; x 90 | <i>Glucosamine</i> | M01AX05 | Blue Bio Pharmaceuticals Limited |
| Bravex | 100 mg/5 ml oral suspension-100 ml x 1 | <i>Ibuprofen</i> | M01AE01 | Ворлд Медисине Европа ЕООД |

| | | | | |
|---------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------------------|
| Bronchalis-Heel | tablets x 50 | Хомеопатичен лекарствен продукт | | Biologische Heilmittel Heel GmbH |
| Bronchetamin | 7,5 mg/5 ml syrup - 200 ml | Butamirate citrate | R05DB13 | Actavis Group PTC ehf. |
| Bronchicum | 11,25 mg mg compressed lozenges x 20; x 50 | Thyme fluid extract | R05CA00 | Санофи-Авентис България ЕООД |
| Bronchicum Elixir S | 5g/2,5g/100g syrup - 130g | Thymi herbae tincture/ /Grindellii herbae tincture/Quebrachi corticis tincture/ Primulae radice tincture/ Pimpinellae radice tincture | R05CA10 | Санофи-Авентис България ЕООД |
| Bronchipret | film-coated tablets x 20; x 50; x 100 | Растителен лекарствен продукт | R05CA 10 | Bionorica SA |
| Broncholytin | 5,75 mg/4,6 mg/5 ml syrup -125g | Glaucine bromide/Basilici oil/Ephedrine hydrochloride | R05FA02 | Софарма АД |
| BronchoMAXX | 15 mg/5 ml syrup x 100 ml; x 120 ml | Ambroxol | R05CB06 | ДАНСОН-БГ ООД |
| BronchoMAXX | 30 mg/5 ml syrup x 100 ml; x 120 ml | Ambroxol | R05CB06 | ДАНСОН-БГ ООД |
| Bronchostop | 59,5mg pastilles x 20; x 40 | Растителен лекарствен продукт | R05CA | Kwizda pharma GmbH |
| Bronchostop | 0,77g/0.66g/5ml - syrup - 150 ml | Растителен лекарствен продукт | R05CA10 | Kwizda pharma GmbH |
| Bronchostop | 0,32g/0,32g/g oromucosal spray, solution - 15 ml | Растителен лекарствен продукт | A01AD11 | Прескрипция" ЕООД" |
| Bronchostop Duo | 51,1 mg/ 4,5 mg pastilles x 10; x 20; x 30; x 40 | Растителен лекарствен продукт | R05CA10 | Kwizda pharma GmbH |
| Bronchostop Sine | 0,12g/1,28g/15ml oral solution 100 ml; x 120 ml; x 150 ml; x 200 ml | Растителен лекарствен продукт | R05CA10 | Kwizda pharma GmbH |
| Bronchostop Nite | 187.5 mg / 136.4 mg / 150.0 mg /15ml oral solution - x 120 ml; x 200 ml; x 240 ml | Растителен лекарствен продукт | R05CA10 | Oktal Pharma d.o.o. |
| Bronhosolvan | 200 mg powder for oral solution in sachet x 20 | Acetylcysteine | R05CB01 | Фортекс Нутрасютикалс ООД |
| Bronhosolvan | 600 mg powder for oral solution in sachet x 10 | Acetylcysteine | R05CB01 | Фортекс Нутрасютикалс ООД |
| BRONLES | 375 mg capsules, hard x 20; x 30; x 50; x 120 | Carbocisteine | R05CB03 | Alkaloid-INT d.o.o. |
| Brufen | 200 mg effervescent granules x 12, x 20, x 30 | Ibuprofen | M01AE01 | Майлан ЕООД |

| | | | | |
|--------------------|-----------------------------------------------------------|----------------------------------------------------------------------------------------------|---------|----------------------|
| Brufen | 400 mg effervescent granules x 12; x 15; x 20; x 30; x 40 | <i>Ibuprofen</i> | M01AE01 | BGP Products AB |
| Buscolysin | 10 mg coated tablets x 20; x 800 | <i>Hyoscine butylbromide</i> | A03BB01 | Софарма АД |
| Buscopan | 10 mg coated tablets x 10; x 20 | <i>Hyoscine butylbromide</i> | A03BB01 | САНОФИ БЪЛГАРИЯ ЕООД |
| Caffetin Cold | film - coated tablets x 10 | <i>Ascorbic acid/Paracetamol/Pseudoephedrine hydrochloride/Dextromethorphan hydrobromide</i> | M01AE01 | Алкалоид ЕООД |
| Caffetin COLDmax | 1000 mg/12,2 mg powder for oral solution x 10 | <i>Ascorbic acid/Paracetamol/Pseudoephedrine hydrochloride/Dextromethorphan hydrobromide</i> | M01AE01 | Алкалоид ЕООД |
| Caffetin Forte | tablets x 6; x 10; x 12 | <i>Paracetamol/Propylphenazone/Caffeine/Codeine phosphate sesquihydrate</i> | N02BE51 | Алкалоид" ЕООД |
| Caffetin Menstrual | 200 mg film-coated tablets x 10 | <i>Ibuprofen</i> | M01AE01 | Алкалоид АД |
| Caffetin SC | 250 mg/210 mg/50 mg tablets x 6; x 10; x 12 | <i>Caffeine/Paracetamol/Propyphenazone</i> | N02BE51 | Алкалоид АД |

| | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|----------------------------------------------------|-------------------------------------------------------------------------|
| <p>Calcium flouratum D6/D12 12 броя Шуслерови соли по списък: Calcium flouratum D6/D12 Шуслерова сол № 1/Calcium phosphoricum D6/D12 Шуслерова сол № 2/Ferrum phosphoricum D6/D12 Шуслерова сол № 3 /Kalium chloratum D6/D12 Шуслерова сол № 4/ Kalium phosphoricum D6/ D12 Шуслерова сол № 5/Kalium sulfuricum D6/D12 Шуслерова сол № 6/Magnesium phosphoricum D6/D12 Шуслерова сол № 7/Natrium chloratum D6/D12 Шуслерова сол № 8/Natrium phosphoricum D6/D12 Шуслерова сол № 9/Natrium sulfuricum D6/D12 Шуслерова сол №</p> | <p>tablets x 80; x 200; x 420</p> | <p><i>Хомеопатичен лекарствен продукт</i></p> | <p>Deutsche HomöopathieUnion, DHU- Arzneimittel GmbH&Co.KG</p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|----------------------------------------------------|-------------------------------------------------------------------------|

| | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------|---------|-------------------------------------------------------------|
| Calcium fluoratum D4 12 броя Шуслерови соли по списък: Calcium fluoratum D4 ointment (Schüßler Salt No 1)/ Calcium phosphoricum D4/ (Schüßler Salt No 2)/ Ferrum phosphoricum D4/ (Schüßler Salt No 3)/ Kalium chloratum D4/ (Schüßler Salt No 4)/ Kalium phosphoricum D4/ (Schüßler Salt No 5)/ Kalium sulfuricum D4/ (Schüßler Salt No 6)/ Magnesium phosphoricum D4/ (Schüßler Salt No 7)/ Natrium chloratum D4 / (Schüßler Salt No 8)/ Natrium phosphoricum D4/ (Schüßler Salt No 9) Natrium sulfuricum D4/ (Schüßler Salt No 10)/ | ointment | <i>Хомеопатичен лекарствен продукт</i> | | Deutsche Homöopathie Union, DHU- Arzneimittel GmbH & Co. KG |
| Calcium fluoratum D6/D12 Шуслерова сол №1 (група от 25 хомеопатични лекарствени продукти) | sublingual tablets | <i>Хомеопатичен лекарствен продукт</i> | | BOIRON |
| Calgel | 0,1g/0,33g/100g gingival gel -10g | <i>Lignocaine/Cetylpyridinium chloride</i> | A01AD11 | McNeil Products Limited |
| Calmaben | 50 mg tablets coated x 10; x 20; x 30 | <i>Diphenhydramine</i> | N05CM | Pharmazeutische Fabrik Montavit Ges.m.b.H |
| Calmo-Heel | oral drops, solution- 30ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Calpol | 120 mg/5ml oral suspension - 100 ml | <i>Paracetamol</i> | N02BE01 | McNeil Products Limited |
| Calpol | 250 mg/5ml oral suspension - 100 ml | <i>Paracetamol</i> | N02BE01 | McNeil Products Limited |
| CAMILIA DENTO BABY | oral solution x 10; x 20; x 30 | <i>Хомеопатичен лекарствен продукт</i> | | Boiron |

| | | | | |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|---------|-------------------------------------|
| Canephron | 18 mg/18 mg/18 mg coated tablets x 60; x 120; x 200 | <i>Растителен лекарствен продукт</i> | G04B | Bionorica SA |
| Canephron Forte | coated tablets x 30; x 60; x 90 | <i>Растителен лекарствен продукт</i> | G04BX | Bionorica SA |
| Canespor | 1% cream - 15 g | <i>Bifonazole</i> | D01AC10 | Байер България ЕООД |
| Canesten | 1 % cream - 20 g | <i>Clotrimazole</i> | D01AC01 | Байер България ЕООД |
| Capsamol Dolor | 0,05% cream x 40g; x 100g; | <i>Растителен лекарствен продукт</i> | N01BX04 | Woerwag Pharma GmbH & Co. KG |
| Capsifen ColdActive Max | 500 mg/ 300 mg/200 mg effervescent powder x 6; x 8; x 10; x 12; x 14; x 20; x 28 | <i>Acetylsalicylic acid/Ascorbic acid/Calcium lactate gluconate</i> | N02BA51 | US Pharmacia Sp. z o.o |
| Cardiopirin | 100 mg gastro-resistant tablets blisters x 10; x 20; x 28; x 30; x 50; x 56; x 60; x 90; x 100, containers x 10; x 30; x 50; x 100; x 500 | <i>Acetylsalicylic acid</i> | B01AC06 | Bausch Health Ireland Limited |
| Carmolis | Oral drops, solution/cutaneous solution/inhalation vapour, solution - 20 ml; - 40 ml, - 80 ml; - 160 ml | <i>Растителен лекарствен продукт</i> | | Dr. A. & L. Schmidgall GmbH & Co KG |
| Carsil | 22,5 mg coated tablets x 80 | <i>Silymarin</i> | A05BA03 | Софарма АД |
| Cefabronchin | 50g/21g/100g oral drops, solution x 20 ml; x 50 ml; x 100 ml | <i>Растителен лекарствен продукт</i> | R05CA10 | Cefak KG |
| Cefacolchin | tablets x 100 | <i>Хомеопатичен лекарствен продукт</i> | | Cefak KG |
| Cefamadar | 250 mg tablets x 100; x 200; x 500 | <i>Хомеопатичен лекарствен продукт</i> | | Cefak KG |
| CEFASEL | 100 micrograms tablets x 20; x 60; x 100 | <i>Sodium selenite</i> | | Cefak KG |
| Cefasilymarin | 105 mg film-coated tablets x 20; x 60; x 100 | <i>Растителен лекарствен продукт</i> | | Cefak KG |
| Cefavora | oral drops, solution - 50ml; - 100ml; - 200ml | <i>Хомеопатичен лекарствен продукт</i> | | Cefak KG |
| Cefavora | tablets x 20; x 60; x 100 | <i>Хомеопатичен лекарствен продукт</i> | | Cefak KG |
| Ceridol | 250 mg/150 mg/50 mg tablets x 10 | <i>Paracetamol/Propyphenazone/Caffeine</i> | N02BE51 | Фортекс Нутрасютикалс ООД |
| Cetebe | 500 mg prolonged release capsules, hard x 30; x 60 | <i>Ascorbic acid</i> | A11GA01 | STADA Arzneimittel AG |
| Chilora | 0,15 % eye drops, solution x 10 ml | <i>Sodium hyaluronate</i> | S01XA20 | Ворлд Медисине Европа ЕООД |

| | | | | |
|-----------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------|-------------------------|
| Cinnabsin | tablets x 100 | <i>Хомеопатичен лекарствен продукт</i> | | Alpen Pharma GmbH |
| Cinnarizin Pharma | 25 mg tablets x 50; x 100; x 2000 | <i>Cinnarizine</i> | N07CA02 | Pharma PLC |
| Cinnarizin Actavis | 25 mg tablets x 50; x 100 | <i>Cinnarizine</i> | N07CA02 | Антибиотик - Разград АД |
| Cinnarizin Inbiotech | 25 mg tabl. x 50 | <i>Cinnarizine</i> | N07CA02 | Инбиотех ООД |
| Cinnarizine Sopharma | 25 mg tablets x 50 | <i>Cinnarizine</i> | N07CA02 | Софарма АД |
| Citomix | granules 4 g x 2 | <i>Хомеопатичен лекарствен продукт</i> | | GUNA S.p.a. |
| Clarinase | 5 mg/120 mg prolonged-release tablets x 10 | <i>Loratadine/Pseudoephedrine sulfate</i> | R06AX | Байер България ЕООД |
| Claritine | syr.1 mg/ml – 120 ml | <i>Loratadine</i> | R06AX13 | Байер България ЕООД |
| Claritine | 10 mg tablets x 7; x 10; x 14; x 20; x 30; x 60 | <i>Loratadine</i> | R06AX13 | Байер България ЕООД |
| Clotrimazol ABR | 10 mg /g cream 20 g x 1 | <i>Clotrimazole</i> | D01AC01 | Антибиотик - Разград АД |
| Cocculine | tablets x 30 | <i>Хомеопатичен лекарствен продукт</i> | | Voiron |
| Coldrex | tablets x 12; x 24 | <i>Ascorbic acid/Caffeine/Paracetamol/Phenylephrine hydrochloride/Terpin hydrate</i> | N02BE51 | Adriatic BST d.o.o. |
| Coldrex Junior Hot Drink | 300 mg/5 mg/20 mg powder for oral solution x 5; x 10 | <i>Ascorbic acid/Paracetamol/Phenylephrine hydrochloride</i> | R05X0 | Adriatic BST d.o.o. |
| Coldrex MaxGrip Berry fruit | 1000 mg/10 mg/70 mg powder for oral solution x 5; x 8; x 10; x 14 | <i>Ascorbic acid/Paracetamo/Phenylephrine hydrochloride</i> | N02BE51 | Adriatic BST d.o.o. |
| Coldrex MaxGrip Lemon | 1000 mg/10 mg/40 mg powder for oral solution x 5; x 10 | <i>Paracetamol/ Ascorbic acid/ Phenylephrine hydrochloride</i> | R05X | Adriatic BST d.o.o. |
| Coldrex Max Plus Cough | 500 mg/100 mg/6.1 mg capsules, hard x 8, x 16, x 24, x 32 Колдрекс | <i>Guaifenesin/Paracetamol/Phenylephrine hydrochloride</i> | N02BE51 | Adriatic BST d.o.o. |
| Coldrex Nite | 1000 mg/20mg/15mg/20ml syrup – 100 ml -160 ml | <i>Dextromethorphan Hydrobromide/Paracetamol/ Promethazine hydrochloride</i> | R05DA20 | Adriatic BST d.o.o. |

| | | | | |
|--------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|----------|-----------------------------------------------------------|
| Coldrex Nite HotRem | 1000 mg/20 mg/15 mg powder for oral solution x 5 | <i>Dextromethorphan Hydrobromide/Paracetamol/Promethazine hydrochloride</i> | R05DA20 | Adriatic BST d.o.o. |
| Coldrex Nite HotRem Lemon | 750 mg/10 mg/60 mg powder for oral solution x 5 x 10 | <i>Ascorbic acid/Paracetamo/Phenylephrine hydrochloride</i> | N02BE51 | Adriatic BST d.o.o. |
| Coldrex PLUS Cough | 500 mg/200 mg/10 mg powder for oral solution - sachets: x 5; x 6; x 10; x 14; x 15; x 20 | <i>Guaifenesin/ Paracetamol/ Phenylephrine hydrochloride</i> | N02BE51 | Adriatic BST d.o.o. |
| Colikind | oral drops, solution - 20 ml | <i>Хомеопатичен лекарствен продукт</i> | | Deutsche HomoopatiheUnion, DHU Arzneimittel GmbH & Co. KG |
| Combogesic | 500 mg/150 mg film-coated tablets x 8; x 10; x 16; x 20; x 24; x 30; x 32 | <i>Ibuprofen/Paracetamol</i> | N02BE 51 | Swixx Biopharma Kft. |
| Contractubex | 1 g/10 g/5000 IU/100 g gel -20 g; -50 g; -100 g | <i>Allantoin/ Extractum Cepae fluidum/ Heparin sodium</i> | D11AX 0 | Merz Pharmaceuticals GmbH |
| Corneregel | 5% eye gel -5 g; - 10 g | <i>Dexapanthenol</i> | S01XA12 | Dr. Gerhard Mann ChemischPharmazeutische Fabric GmbH |
| Corsodyl Mint | 0,2 g/100 ml oromucosal solution – 300 ml; 600 ml | <i>Chlorhexidine</i> | A01AB03 | GlaxoSmithKline Dungarvan Limited |
| Coryzalia | coated tablets x 40 | <i>Хомеопатичен лекарствен продукт</i> | | Boiron |
| Coryzalia Baby | oral solutionr x 10; x 15; x 20; x 30 | <i>Хомеопатичен лекарствен продукт</i> | | Boiron |
| Cralonin | 70 g/1 g/1 g/100 g oral drops, solution - 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| CUPRUM METALLICUM (група от 34 хомеопатични лекарствени продукти) | 4 g pillules 5CH, 9CH, 15CH, 30CH | <i>Хомеопатичен лекарствен продукт</i> | | Boiron |
| Cyclodynon | 4 mg film-coated tablets x 30; x 60; x 90 | <i>Растителен лекарствен продукт</i> | G02C0 | Bionorica AG |
| Cyclodynon forte | film-coated tablets x 30; x 60; x 90 | <i>Растителен лекарствен продукт</i> | G02CX03 | Bionorica AG |
| Cynarix | 55 mg coated tablets x 24; x 60 | <i>Растителен лекарствен продукт</i> | A05AX00 | Pharmazeutische Fabrik Montavit Ges.m.b.H |

| | | | | |
|-----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------|---------------------------------------------------|
| Cynarix Forte | 600 mg coated tablets | <i>Растителен лекарствен продукт</i> | A05AX00 | Pharmazeutische Fabrik Montavit Ges. m. b. H |
| Cystinol akut | 238,7-297,5 mg coated tablets x 30 | <i>Растителен лекарствен продукт</i> | G04B | Schaper & Brummer GmbH & Co. KG |
| Daktarin | 20 mg/g oral gel - 40 g | <i>Miconazole</i> | A01AB09 | McNeil Healthcare (Ireland) Limited |
| Daleron | 500 mg tablets x 12 | <i>Paracetamol</i> | N02BE01 | KRKA d.d. Novo Mesto |
| Daleron | 120 mg/5 ml oral suspension-100 ml | <i>Paracetamol</i> | N02BE01 | KRKA d.d. Novo Mesto |
| DC-BAR-DS | 90 g powder for oral and rectal suspension - 100 g | <i>Barium sulfate</i> | V08BA2 | ДАНСОН-БГ ООД |
| Deep Heat Spray | cutaneous spray, solution x 150 ml | <i>Methyl salicylate/ Methyl nicotinate/Ethyl salicylate/ Hydroxyethyl salicylate</i> | M02AX10 | The Mentholatum Company Ltd. |
| Deep Relief | 50 mg/g+30 mg/g gel -50g | <i>Ibuprofen/Levomenthol</i> | M01AE1 | Colep Laupheim GmbH & Co. KG |
| Deflamol | 350 IU/400 IU/g ointment - 18 g; 40 g | <i>Ergocalciferol/Vitamin A concentrate</i> | D03AA | Софарма АД |
| Dentinox | 150 mg/3,4 mg/3,2 mg/ 1g gel -10 g | <i>Растителен лекарствен продукт</i> | | Dentinox Gesellschaft |
| Dentokind | tablets x 150 | <i>Хомеопатичен лекарствен продукт</i> | | Alpen Pharma GmbH |
| Dermazin | 1 % cream - 25 g; 50 g | <i>Silver sulfadiazine</i> | D06BA01 | Lek Pharmaceuticals d.d. |
| Dermodrin | 20 mg/g ointment - 20 g; 30 g; 50 g; - 100 g | <i>Diphenhydramine</i> | D04AA32 | Pharmaceutische Fabrik Montavit Ges.m.b.H |
| Detralex | 500 mg film-coated tablets x 30; x 36; x 60; x 90; x 120 | <i>Micronozed and purified flavonoic fraction</i> | C05CA53 | Les Laboratoires Servier |
| Dexinal | 25 mg film-coated tablets x 10; x 20 | <i>Dexketoprofen</i> | M01AE17 | НОБЕЛ ФАРМА ЕООД |
| Dexofen | 25 mg film-coated tablets x 10; x 30; x 50 | <i>Dexketoprofen</i> | M01AE17 | Menarini International Operations Luxembourg S.A. |
| Dexofen sashet | 25 mg granules for oral solution x 2; x 4; x 10; x 20; x 30; x 40; x 50; x 100; x 500 | <i>Dexketoprofen</i> | M01AE17 | Menarini International Operations Luxembourg S.A. |
| Dialgin | 500 mg powder for oral solution x 6; x 20 | <i>Metamizole sodium</i> | N02BB02 | Химакс Фарма ЕООД |
| Dialgin | 1000 mg powder for oral solution x 6; x 20 | <i>Metamizole sodium</i> | N02BB02 | Химакс Фарма ЕООД |

| | | | | |
|------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------|---------|-----------------------------------------------------------|
| Dialgin – без лекарско предписание за възрастни и деца над 10 г. | 500 mg/ml oral drops, solution x 20 ml | <i>Metamizole sodium</i> | N02BB02 | Химакс Фарма ЕООД |
| Dialgin Express | 500 mg/50mg powder for oral solution in sachet x 6; x 20 | <i>Caffeine/Metamizole sodium monohydrate</i> | N02BB52 | Химакс Фарма ЕООД |
| Dialgin junior | 250 mg powder for oral solution x 5 | <i>Metamizole sodium</i> | N02BB02 | Химакс Фарма ЕООД |
| DIARID PRO | 2 mg tablets x 10; x 20 | <i>Loperamide hydrochloride</i> | A07DA03 | Фортекс Нутрасютикалс ООД |
| Diarostad - без лекарско предписание за възрастни и деца над 12 години | 2 mg capsules x 10 | <i>Loperamide</i> | A07DA03 | Stada Arzneimittel AG |
| Diclac | 1% gel – 50 g; 100 g | <i>Diclofenac sodium</i> | M02AA15 | HEXAL AG |
| Diclac Acute | gel 10 mg/g – 50 g; - 100 g | <i>Diclofenac</i> | M02AA15 | HEXAL AG |
| Diclac Max | 5% gel – 50 g; 100 g | <i>Diclofenac sodium</i> | M02AA15 | HEXAL AG |
| Dicloflex | 1% gel - 50 g | <i>Diclofenac</i> | M02AA15 | ДАНСОН-БГ ООД |
| Dicloflex | 5% gel - 50 g | <i>Diclofenac</i> | M02AA15 | ДАНСОН-БГ ООД |
| DIH MAX | 1000 mg film - coated tablets x 20; x 30; x 60 | <i>Diosmin</i> | C05CA03 | Przedsiębiorstwo Produkcji Farmaceutycznej HASCO-LEK S.A. |
| Dimex – без лекарско предписание за възрастни и деца над 6 години | 9,96 mg/5ml+99,6 mg/5ml syrup - 125 ml | <i>Ammonium chloride/Diphenhydramine Hydrochloride</i> | R06AA52 | Софарма АД |
| Dinarex | 1,5 mg/ml syrup - x 150 ml; x 200 ml | <i>Dextromethorphan</i> | R05DA09 | Medochemie Ltd |
| Dioket | 600 mg tablets x 30 | <i>Diosmin</i> | C05CA03 | Stragen Pharma S.A. S |
| Diosmin Hasco-Lek | 1000 mg film - coated tablets x 20; x 30; x 60 | <i>Diosmin</i> | C05CA03 | Przedsiębiorstwo Produkcji Farmaceutycznej HASCO-LEK S.A. |
| Doloren | 200 mg film-coated tablets x 10; x 20 | <i>Ibuprofen</i> | M01AE01 | Екофарм Груп АД |
| Doloren | 400 mg film-coated tablets x 12; x 24 | <i>Ibuprofen</i> | M01AE01 | Екофарм Груп АД |
| Dona | 1500 mg powder for oral solution x 20 | <i>Glucosamine sulfate</i> | M01AX05 | Майлан ЕООД |
| Doporison | 100 mg/g ointment - 20 g | <i>Povidone-iodine</i> | D08AG02 | Софарма АД |

| | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------------------------------------|
| Doppelherz Energie-Tonikum N | oral solution- 20 ml; - 250 ml; - 500 ml; - 750 ml; - 1000 ml | <i>Cyanocobalamin/ Nicotinamide/ Pyridoxine hydrochloride/ Riboflavin/ Tincturae Lupuli flos/ Tincturae Valerianae radix/ Tincturae Crataegi fructus</i> | A13A | QUEISSER Pharma GmbH& Co |
| Dormikind | tablets x 150 | <i>Хомеопатичен лекарствен продукт</i> | | Alpen Pharma GmbH |
| Dormiplant | 160 mg/80 mg coated tablets. x 50; x 100 | <i>Растителен лекарствен продукт</i> | N05CX | Dr. Willmar Schwabe Arzneimittel GmbH |
| Dr.Theiss Anisol | caps. 100mg x 30 | <i>Anise oil</i> | R05CA | Dr.Theiss Naturwaren GmbH |
| Dr.Theiss Echinacea forte | 75,6 ml/100 ml oral drops, solution -50 ml; 100 ml | <i>Echinaceae purpureae herba succus recens</i> | A13A | Dr Theiss Naturwaren GmbH |
| Dro Spaz | 40 mg tablets x 20; x 40; 60; x 80; x100 | <i>Drotaverine</i> | A03AD02 | Адифарм ЕАД |
| Dro Spaz | 80 mg tablets x 10; x 20 | <i>Drotaverine</i> | A03AD02 | Адифарм ЕАД |
| Dro Spaz Complex | 400 mg/60 mg/40 mg powder for oral solution in sachet x 10 | <i>Metamizole sodium monohydrate/Caffeine/Drotaverine hydrochloride</i> | N02BB52 | Адифарм ЕАД |
| Dropleks | 4 g /100 g + 1 g /100 g ear drops, solution - 15 ml | <i>Lidocaine Hydrochloride/Phenazone</i> | S02DA30 | Ворлд Медисине Европа ЕООД |
| Dulcamara-Номaccord | oral drops, solution – 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Dulcolax | 10 mg suppositories x 6 | <i>Bisacodyl</i> | A06AB02 | САНОФИ БЪЛГАРИЯ ЕООД |
| Dulcolax | 5 mg gastro-resistant tablets x 10; x 30 | <i>Bisacodyl</i> | A06AB02 | САНОФИ БЪЛГАРИЯ ЕООД |
| Dulcolax Pico | 7,5 mg/ml oral drops, solution – 15 ml; -30 ml | <i>Sodium picosulphate</i> | A06AB08 | САНОФИ БЪЛГАРИЯ ЕООД |
| Duphalac за показание портална системна енцефалопатия (PSE) лечение и профилактика на чернодробна кома или прекома - по лекарско предписание | 67 g/100 ml oral solution – 200 ml; - 300 ml; 500 ml; 15 ml x 10 | <i>Lactulose</i> | A06AD11 | Майлан ЕООД |
| Duspatalin | 135 mg coated tablets x 20; x 30 | <i>Mebeverine</i> | A03AA04 | Майлан ЕООД |

| | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|--------------------------------------------------------------------------------|---------|--------------------------------------------------------|
| Duspatalin | 200 mg prolonged release hard capsules x 20; x 30 | <i>Mebeverine</i> | A03AA04 | Майлан ЕООД |
| Duspaverin | 135 mg film-coated tablets x 30 | <i>Mebeverine</i> | A03AA04 | Софарма АД |
| Efferalgan | 150 mg suppositories x 10 | <i>Paracetamol</i> | N02BE01 | UPSA SAS |
| Efferalgan | 300 mg suppositories x 10 | <i>Paracetamol</i> | N02BE01 | UPSA SAS |
| Efferalgan | 500 mg effervescent tablets x 16 | <i>Paracetamol</i> | N02BE01 | UPSA SAS |
| Efferalgan Pediatric – по лекарско предписание при деца от 1 до 3 месеца; без лекарско предписание при възрастни и деца над 3 месеца | 150 mg/5 ml oral solution | <i>Paracetamol</i> | N02BE01 | UPSA SAS |
| Efferalgan Vit.C | 330 mg/200 mg effervescent tablets x 20 | <i>Paracetamol/Ascorbic acid</i> | N02BE51 | UPSA SAS |
| Efisol | 30 mg/0,25 mg compressed lozenges x 20; x 40 | <i>Ascorbic acid/ Dequalinium chloride/Ascorbic acid</i> | R02AA02 | Тева Фарма ЕАД |
| Efisol Intense | 8,75 mg lozenges x 8; x 12; x 16; x 20; x 24 | <i>Flurbiprofen</i> | R02AX 1 | Teva B.V. |
| ELAXA pico | 5 mg tablets x 20 | <i>Sodium picosulfate monohydrate</i> | A06AB08 | Фортекс Нутрасютикалс ООД |
| ellaOne | 30 mg tablet x 1 | <i>Ulipristal</i> | G03AD02 | Laboratoire HRA Pharma |
| Endotelon | 150 mg gastro-resistant tablets x 20; x 60 | <i>Procyanidolic oligomers</i> | C05CX | Cheplapharm Arzneimittel GmbH |
| Enema-Balkan | 16%/6% rectal solution – 80 ml; - 130 ml; - 250 ml | <i>Sodium dihydrogen phosphate dihydrate/ Disodium phosphate dodecahydrate</i> | A06AG01 | Балкан медикъл сървиз - България ООД |
| Engystol | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Enterokind | oral drops - 20 ml | <i>Хомеопат лекарствен продукт</i> | | Deutsche HomoopathieUnion, DHU-Arzneimittel GmbH&Co.KG |
| Enterol | 250 mg hard capsules x 10; x 20, x 50 | <i>Lyophilized Saccharomyces Boulardii</i> | A07FA02 | Biocodex |
| Enterol | 250 mg powder for oral suspension x 6; x 10; x 20 | <i>Lyophilized Saccharomyces Boulardii</i> | A07FA02 | Biocodex |

| | | | | |
|--------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---------|---------------------------------------------------|
| Enterol FORTE | 500 mg powder for oral suspension x 10; x 14; x 20 | <i>Lyophilized Saccharomyces Boulardii</i> | A07FA02 | Biocodex |
| Enterol EASY | 250 mg powder and solvent for oral suspension x 10; x 14 | <i>Saccharomyces boulardii</i> | A07FA03 | Biocodex |
| Emanera control | 20 mg hard gastro-resistant capsules blisters x 7; x 14; | <i>Esomeprazole</i> | A02BC 5 | KRKA, d.d., Novo mesto |
| Esberitox | 3,2 mg tablets x 50; x 60; x 100 | <i>dry extract (4-9:1)from Thujae Occidentalis Herba, Baptisiae tinctoriae Radix, Echinaceae pupureae/ Echinaceae pallida Radix</i> | L03AX | Schaper & Brummer GmbH & Co.KG |
| Esberitox Family | tablets x 30; x 60; x 90; x 180 | <i>dry extract (4-9:1)from Thujae Occidentalis Herba, Baptisiae tinctoriae Radix, Echinaceae pupureae/ Echinaceae pallida Radix</i> | L03AX 0 | Schaper & Brummer GmbH & Co.KG |
| Esberitox forte | 16 mg tablets x 20; x 40; x 60 | <i>dry extract from Thujae Occidentalis Herba, Baptisiae tinctoriae Radix, Echinaceae pupureae/ Echinaceae pallida Radix</i> | L03AX | Schaper& Brummer GmbH & Co.KG |
| Escapelle | 1,5 mg tablets | <i>Levonorgestrel</i> | G03AC03 | Gedeon Richter Plc. |
| Espumisan | 40 mg soft capsules x 25; x 50; x 100 | <i>Simethicone</i> | A02DA01 | Berlin-Chemie AG Menarini Group |
| Espumisan comfort | 100 mg/ml oral drops, emulsion -30 ml; - 50 ml | <i>Simethicone</i> | A02DA01 | Berlin-Chemie AG Menarini Group |
| Espumisan L | 40 mg/ml oral drops, emulsion - 30 ml | <i>Simethicone</i> | A02DA01 | Berlin-Chemie AG Menarini Group |
| Essentiale Express | 600 mg oral paste in sachets x 21; x 30 | <i>Phospholipids from Soya</i> | A05BA | САНОФИ БЪЛГАРИЯ ЕООД |
| Essentiale forte N | 300 mg hard capsules x 30 | <i>Phospholipids from Soya</i> | A05BA | САНОФИ БЪЛГАРИЯ ЕООД |
| Essentiale Max | 600 mg capsules, hard x 30; x 42 | <i>Phospholipids from Soya</i> | A05BA | САНОФИ БЪЛГАРИЯ ЕООД |
| Etrixenal | 250 mg tablets x 10; x 20 | <i>Naproxen</i> | M01AE02 | Proenzi s.r.o. |
| Etrixenal | 100 mg/g gel x 55g; x 100 g | <i>Naproxen</i> | M01AA12 | Proenzi s.r.o. |
| Eucarbon | tablets x 10; x 30; x 500; x 1000 | <i>Sennae folium/Rhei radix extractum siccim/Carbo ligni pulv/Sulfur depuratum</i> | A06AB56 | F.TRENKA Chem. Pharmaceutische Fabrik Ges. m.b.H. |

| | | | | |
|-------------------------|----------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------|----------------------------------|
| Euphorbium compositum | nasal spray – 20 ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Euphorbium compositum S | oral drops, solution - 30ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Exoderil | 1% cream - 15g; - 30 g | <i>Naftifine hydrochloride</i> | D01AE22 | Sandoz GmbH |
| Exoderil | 1% cutaneous solution - 10 ml; 20 ml; 30 ml | <i>Naftifine hydrochloride</i> | D01AE22 | Sandoz GmbH |
| Exoderil Maxi Lak | 5 % medicated nail lacquer 1 x 2,5 ml; 3 ml; 5 ml | <i>Amorolfine hydrochloride</i> | D01AE16 | Sandoz GmbH |
| Expectorans №5 | syrup - 90 ml; 120 ml | <i>Ammonium chloride/ Potassium bromide/ Sodium benzoate/ Althaeae radix extractum fluidum</i> | R05FB | Химакс Фарма ЕООД |
| Extralgin | 400 mg film - coated tablets x 10; x 12; x 24; x 30; x 100 | <i>Ibuprofen</i> | M01AE 51 | Санофи България ЕООД |
| Extralgin | 200 mg film-coated tablets x 10; x 12; x 20; x 24; x 50; x 100 | <i>Ibuprofen</i> | M01AE 51 | Zentiva k.s |
| Extralgin Cold | 200 mg/30 mg film-coated tablets x 10; x 12; x 24; x 30 | <i>Ibuprofen/ Pseudoephedrine hydrochloride</i> | M01AE 51 | Санофи България ЕООД |
| Famotidine Alkaloid | 20 mg film-coated tablets x 20 | <i>Famotidine</i> | A02BA03 | Алкалоид ЕООД |
| Famotidine Sopharma | 20 mg film tabl. x 30 | <i>Famotidine</i> | A02BA03 | Софарма АД |
| Famotidine Sopharma | 40 mg film tabl. x 20; x 30 | <i>Famotidine</i> | A02BA03 | Софарма АД |
| FARINGOSEPT | 8,75 mg compressed lozenges x 20 | <i>Flurbiprofen</i> | R02AX 1 | Фортекс Нутрасюгикалс ООД |
| Feloran | 1 % gel - 60g; x 120 | <i>Diclofenac</i> | M02AA15 | Софарма АД |
| Feloran Forte | 50 mg/g gel - 40 g; 120 g | <i>Diclofenac</i> | M02AA15 | Софарма АД |
| Femicur N | 4 mg hard capsules x 60; x 100 | <i>Vitex agnus castici fructus extractum siccum</i> | G02CX | Schaper & Brummer GmbH & Co.KG |
| Fenistil | 0,1% gel - 30 g; - 50 g; - 100 g | <i>Dimetindene</i> | D04AA13 | GlaxoSmithKline Dungarvan |
| Fenivir | 1% cream - 2g | <i>Penciclovir</i> | D06BB06 | Adriatic BST d.o.o. |
| Fenolax | 5 mg gastro-resistant tablets x 30 | <i>Bisacodyl</i> | A06AB02 | Майлан ЕООД |
| Ferrola | 114 mg/0,8 mg gastro-resistant tablets x 20; x 50; x 100 | <i>Folic Acid, 114 mg Ferrous (II) sulphate, dried</i> | B03AD03 | Worwag Pharma GmbH & Co. KG |

| | | | | |
|-------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------|---------|------------------------------------|
| Ferveflu adults sugar-free | 500 mg/25 mg/200 mg powder for oral solution x 8; x 10; x 15; x 20 | <i>Paracetamol/Ascorbic acid/Pheniramine maleate</i> | N02BE51 | Адифарм ЕАД |
| Ferveflu Antitussive | 500mg / 200mg / 10 mg powder for oral solution x 6 ; x 8; x 10; x 20; x 30; x 40; x 50 | <i>Paracetamol/Guaiifenesin/Phenylephrine hydrochloride</i> | N02BE51 | Адифарм ЕАД |
| Ferveflu Antitussive Junior | 250 mg/100 mg/5 mg/10 ml syrup - 150 ml | <i>Paracetamol/Guaiifenesin/Phenylephrine hydrochloride</i> | N02BE51 | Адифарм ЕАД |
| Ferveflu Antitussive Junior | 250 mg/100 mg/5 mg powder for oral solution - x 10 | <i>Paracetamol/Guaiifenesin/Phenylephrine hydrochloride</i> | N02BE51 | Адифарм ЕАД |
| Fervex children sugar free | 280 mg/10 mg/100 mg/sachet granules for oral solution x 8 | <i>Paracetamol/Pheniramine maleate/Ascorbic acid</i> | N02BE51 | UPSA SAS |
| Fervex cold and flu | 500 mg/ 4 mg film - coated tablets x 4; x 8; x 12; x 16; x 20; x 24; x 28; x 32 | <i>Chlorphenamine maleate/Paracetamol</i> | R05X 0 | UPSA SAS |
| Finalgon | 4 mg/ 25mg/ g ointment - 20g | <i>Nonylic acid vanillamid/Nicotinic acid butoxyethylester</i> | M02AX10 | САНОФИ БЪЛГАРИЯ ЕООД |
| Fitolizyn | 3,36 g/5 g oral paste - 100 g | <i>Растителен лекарствен продукт</i> | G04BX | Herbapol Warszawa Sp.z o.o |
| Flavamed Cough Tablets | tablets 30 mg x 10; x 20; x 50 | <i>Ambroxol</i> | R05CB06 | Berlin-Chemie AG (Menarini |
| Flavamed effervescent tablets | 60 mg effervescent tablets x 10; x 20 | <i>Ambroxol</i> | R05CB06 | Berlin -Chemie AG |
| Flavamed for children | 15 mg/5 ml oral solution - 100 ml | <i>Ambroxol</i> | R05CB06 | Berlin -Chemie AG |
| Flavamed forte | 30 mg/5 ml oral solution - 100 ml | <i>Ambroxol</i> | R05CB06 | Berlin -Chemie AG |
| Flebaven | 500 mg film - coated tablets x 15; x 30; x 60; x 90; x 120; x 150; x 180 | <i>Diosmin</i> | C05CA03 | KRKA, d.d., Novo mesto |
| Flebaven | 1000 mg tablets x 20; x 30; x 60; x 90; x 120 | <i>Diosmin</i> | C05CA03 | KRKA, d.d., Novo mesto |
| Flexistad Junior | 40 mg/ml oral suspension - 100 ml | <i>Ibuprofen</i> | M01AE01 | Stada Arzneimittel AG |
| Fluditec | 20 mg/ml syrup – 125 ml | <i>Carbocisteine</i> | R05CB03 | Laboratoire Innotech International |
| Fluditec | 50 mg/ml syrup – 125 ml | <i>Carbocisteine</i> | R05CB03 | Laboratoire Innotech International |
| FLUDREX HOT DRINK | 750 mg/10 mg/60 mg powder for oral solution x 6 x 12 | <i>Paracetamol/Phenylephrine hydrochloride/Ascorbic acid</i> | N02BE51 | ХИМАКС Фарма ЕООД |

| | | | | |
|----------------------------------------------------------------|------------------------------------------------------------------|------------------------------------------------------------------|----------|---------------------------|
| FLUDREX MAX HERBAL Hot Drink | 1000 mg/12,2 mg powder for oral solution in sachet x 10 | <i>Paracetamol/Phenylephrine hydrochloride</i> | N02BE51 | Химакс Фарма ЕООД |
| FLUDREX TIMI Hot Drink for Kids | 300 mg/5 mg/20 mg powder for oral solution x 10 | <i>Paracetamol/Phenylephrine hydrochloride/Ascorbic acid</i> | N02BE51 | Химакс Фарма ЕООД |
| Fluimucil 100 | 100 mg granules for oral solution x 10; x 20; x 30 | <i>Acetylcysteine</i> | R05CB01 | Zambon S.p.A |
| Fluimucil 200 | 200 mg granules for oral solution x 10; x 20; x 30 | <i>Acetylcysteine</i> | R05CB01 | Zambon S.p.A |
| Fluimucil 600 | 600 mg effervescent tablets x 10; x 20; x 30 | <i>Acetylcysteine</i> | R05CB01 | Zambon S.p.A |
| FLURAPID C | 200 mg/150 mg/25 mg/2,5 mg hard capsules x 10 | <i>Paracetamol/Ascorbic acid/Caffeine/Chlorphenamine maleate</i> | N02BE51 | Фортекс Нутрасютикалс ООД |
| FLURAPID без лекарско предписание за възрастни и деца над 15 г | 500 mg/25 mg/200 mg powder for oral solution in sachet x 8; x 12 | <i>Paracetamol/ Pheniramine maleate /Ascorbic acid</i> | N02BE51 | Фортекс Нутрасютикалс ООД |
| FLURBIMED MINT при възрастни и деца над 12-годишна възраст. | 8,75 mg compressed lozenges x 20 | <i>Flurbiprofen</i> | R02AX01 | Химакс Фарма ЕООД |
| Flurbiprofen Orange Sandoz | 8,75 mg lozenges x 8; x 10; x 16; x 24 | <i>Flurbiprofen</i> | R02AX01 | Sandoz d.d. |
| Freshalgin | 500 mg tablets x 10; x 20 | <i>Metamizole sodium</i> | N02BB03 | Адифарм ЕАД |
| Freshalgin | 500 mg effervescent powder x 20 | <i>Metamizole sodium</i> | N02BB02 | Адифарм ЕАД |
| Freshalgin | 1000 mg effervescent powder x 20 | <i>Metamizole sodium</i> | N02BB02 | Адифарм ЕАД |
| Fuchsini Galen-Pharma | 1% cutaneous solution – 50 ml | <i>Fuchsini</i> | D08A | Гален Фарма ООД |
| FUNGITER | 1 % cream x 15 g | <i>Terbinafine</i> | D01AE 15 | Фортекс Нутрасютикалс ООД |
| FUNGITER | 5 % medicated nail lacquer x 2,5 ml | <i>Amorolfine</i> | D01AE 16 | Фортекс Нутрасютикалс ООД |
| Fungofin | 20 mg gastro-resistant hard capsules x 7; x 14 | <i>Omeprazole</i> | D01AE 15 | Нобел Фарма ООД |
| Fungofin | 1% cream - 15 g | <i>Terbinafine</i> | D01AE15 | Нобел Фарма ООД |
| Fungofin | 1% cutaneous spray, solution - 30 ml | <i>Terbinafine</i> | D01AE15 | Нобел Фарма ООД |

| | | | | |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------|--------------------------------------------------------|
| FURAPID MAX cold and cough | 1000 mg/200 mg/12,2 mg powder for oral solution in sachet x 8 | <i>Guaifenesin/Phenylephrine hydrochloride</i> | N02BE 51 | Фортекс Нутрасютикалс ООД |
| Gastritol | oral liquid x 20 ml; x 50 ml; x 100 ml | <i>Растителен лекарствен продукт</i> | A09A | Dr. Gustav Klein GmbH&Co.KG |
| Gastrobene Double Action | 500 mg/325 mg/213 mg/10 ml oral suspension - 1 x 200 ml | <i>Calcium carbonate/Sodium hydrogen carbonate/Sodium alginate</i> | A02BX | ДАНСОН-БГ ООД |
| Gastrocid | 20 mg gastro-resistant capsules, blisters x 7; x 14; x 15; bottles x 7; x 14 | <i>Omeprazole</i> | A02BC01 | Actavis Group PTC ehf. |
| Gastrocid Eso | 20 mg gastro-resistant tablets, blisters x 7; x 14 | <i>Esomeprazole</i> | A02BC01 | Actavis Group PTC ehf. |
| Gastrocynesine | tablets x 60 | <i>Хомеопатичен лекарствен продукт</i> | | Boiron |
| Gastrokind | tablets x 150 | <i>Хомеопатичен лекарствен продукт</i> | | Deutsche HomoopathieUnion, DHU-Arzneimittel GmbH&Co.KG |
| Gastroprotect | 10 mg/165 mg/800 mg chewable tablets 6 x 1; x 2; x 3; x 4; 12 x 1; x 2 | <i>Famotidine</i> | A02BA53 | Адифарм ЕАД |
| Gastroprotect Raft | 500 mg/267 mg/160 mg/10 ml oral suspension - 10 ml x 10; x 20; бутилки 150 ml x 1 | <i>Sodium alginate/ Sodium hydrogen carbonate/ Calcium carbonate</i> | A02BX13 | Адифарм ЕАД |
| GATTART | 680 mg/80 mg chewable tablets x 16; x 24; x 48; x 96 | <i>Calcium carbonate/Magnesium carbonate, heavy</i> | A02AD01 | Alkaloid-INT d.o.o |
| Gaviscon Liquid Sachets | 500 mg /10 ml +267 mg /10 ml + 160 mg/10ml oral suspension x 2; x 4; x 6; x 8; x 10; x 12; x 14; x 16; x 18; x 20; x 22; x 24; x 26; x 28; x 30; x 32; x 36 | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser Healthcare (UK) Ltd. |
| Gaviscon Cool Mint Liquid | 500 mg /10 ml +267 mg /10 ml + 160 mg/10 ml oral suspension - 100 ml; - 150 ml; - 200 ml; - 300 ml; - 500 ml; - 600 ml | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser Healthcare (UK) Ltd. |
| Gaviscon Peppermint Tablets | 250 mg /133,5 mg /80 mg chewable tablets, blisters x 4; x 6; x 8; x 16; x 24; x 32; x 48; x 64; containers x 8; x 12; x 16; x 18; x 20; x 22; x 24; 2 x 16; 2 x 18; 2 x 20; 2 x 22; 2 x 24 | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser Healthcare (UK) Ltd. |

| | | | | |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------|-----------------------------------------|
| Gaviscon Strawberry Tablets | 250 mg/133,5 mg/80 mg chewable tablets, blisters x 4; x 6; x 8; x 16; x 24; x 32; x 48; x 64; containers x 8; x 12; x 16; x 18; x 20; x 22; x 24; 2 x 16; 2 x 18; 2 x 20; 2 x 22; 2 x 24 | <i>Calcium carbonate/ Sodium alginate/ Sodium hydrogen carbonate</i> | A02BX13 | Reckitt Benckiser Healthcare (UK) Ltd. |
| Gelomyrtol forte | 300 mg gastro-resistant soft capsules x 20; x 50; x 100 | <i>Myrtol standardized</i> | R05CB | G. Pohl-Boskamp GmbH & Co. KG |
| Generalgin | 500 mg tablets x 20 | <i>Metamizole sodium</i> | N02BB02 | Генерика ООД |
| Gentos | tablets x 20; x 40 | <i>Хомеопатичен лекарствен продукт</i> | | Richard Bittner AG |
| Gentos | oral drops, solution x 20 ml; x 50 ml | <i>Хомеопатичен лекарствен продукт</i> | | Richard Bittner AG |
| Glimbax | 0,074% mouth wash – 200 ml | <i>Diclofenac</i> | A01AD11 | Анджелини Фарма България ЕООД |
| Glimbax | 1.48 % oromucosal spray, solution - 15 ml | <i>Diclofenac</i> | A01AD11 | Анджелини Фарма България ЕООД |
| Gogolox | 5% oral solution - 13 ml; 25 ml | <i>Ambroxol hydrochloride</i> | R05CB06 | Syathus Exquirere Pharmaforschungs GmbH |
| GRANU FINK Bladder | 400 mg/340 mg hard capsules x 50; x 100; x 160 | <i>Pumpkin seed, crushed/ Pumpkin seed oil</i> | G04 | Adriatic BST d.o.o., |
| GRANU FINK Femina | 227,3 mg/56 mg/18 mg hard capsules x 30; x 60; x 120 | <i>Pumpkin seed oil/ Dry extract of fragrant sumach bark/ Dry extract of hop strobile</i> | G04 | Adriatic BST d.o.o., |
| GRANU FINK Prosta | 400 mg/340 mg/75 mg hard capsules x 30; x 60; x 120; x 150; x 200 | <i>Pumpkin seed, crushed/ Pumpkin seed oil/ Dry extract of saw palmetto fruit</i> | G04 | Adriatic BST d.o.o., |
| GRANU FINK Prosta forte | 500 mg hard capsules x 20; x 40; x 80; x 140 | <i>Cucurbitae semen extractum spissum</i> | G04 | Adriatic BST d.o.o.,ЕООД |
| Gripex | 325 mg/30 mg/10 mg film-coated tablets x 12; x 24 | <i>Dextromethorphan Hydrobromide/ Paracetamol/Pseudoephedrine hydrochloride</i> | N02BE51 | US Pharmacia Sp.z.o.o. |
| Gripex Hot for Kids | 300 mg/5 mg/20 mg powder for oral solution x 6; x 10; x 12 | <i>Paracetamol/Phenylephrine hydrochloride/ Ascorbic acid</i> | N02BE51 | US Pharmacia Sp.z.o.o. |
| Gripex Hot Max | 1000 mg/100 mg/12,2 mg powder for oral solution - 5 g x 5; x 8; x 10; x 12 | <i>Paracetamol/Ascorbic acid/ Phenylephrine hydrochloride</i> | N02BE51 | US Pharmacia Sp.z.o.o. |

| | | | | |
|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------|----------------------------------|
| Gripex Hot Sinus | powder for oral solution x 6; x 8; x 12 | <i>Chlorphenamine maleate/Dextromethorphan Hydrobromide/Paracetamol/Pseudoephedrine hydrochloride</i> | N02BE51 | US Pharmacia Sp. z o.o |
| Gripex HotActive | 650 mg/50 mg/10 mg powder for oral solution - 4 g x 5; x 7; x 8, x 10; x 12 | <i>Paracetamol/Ascorbic acid/ Phenylephrine hydrochloride</i> | N02BE51 | US Pharmacia Sp.z.o.o. |
| Gripex Max без лекарско предписание за възрастни и деца над 12 години | 500 mg/30 mg/15 mg film-coated tablest x 6; x 10; x 12 | <i>Paracetamol/ Guaifenesin/ Phenylephrine hydrochloride</i> | N02BE51 | US Pharmacia Sp.z.o.o. |
| Gripofen | hard capsules x 10 | <i>Ascorbic acid/ Caffeine/ Chlorphenamine maleate /Paracetamol</i> | N02BE51 | Софарма АД |
| Gripofen Antitussive | 500 mg/ 200 mg/ 10 mg powder for oral solution 4 g x 6 x 8 x 10 x 20 x 30 x 40 x 50 | <i>Paracetamol/Pseudoephedrine hydrochloride/ Dextromethorphan hydrobromide</i> | N02BE51 | Адифарм ЕАД |
| Gripp-Heel | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Grippostad Ambro | 30 mg tablets x 20; x 50; x 100 | <i>Ambroxol</i> | R05CB06 | Aliud Pharma GmbH & Co.KG |
| GUNA- FGF 4C | oral drops, solution x 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | GUNA S.p.a. |
| GUNA- PDGF, 4CH | oral drops, solution x 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | GUNA S.p.a. |
| GUNA- EGF, 4CH | oral drops, solution x 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | GUNA S.p.a. |
| GUNA-ANTI IL1 4C | oral drops, solution x 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | GUNA S.p.a. |
| GUNA-INTERFERON GAMMA | oral drops, solution x 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | GUNA S.p.a. |
| GUNA-INTERLEUKIN 10, 4CH | oral drops, solution x 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | GUNA S.p.a. |
| GUNA-INTERLEUKIN 12 | oral drops, solution x 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | GUNA S.p.a. |
| GUNA-INTERLEUKIN 4, 4CH | oral drops, solution x 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | GUNA S.p.a. |

| | | | | |
|-------------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------|----------|----------------------------------|
| Hedelix | 0,8 g/100 ml syrup - 100 ml | <i>Hederae heliсis folium extractum spissum</i> | R05CA12 | Krewel Meuselbach GmbH |
| Hedelix | 0,04 g/ml oral drops, solution - 50 ml | <i>Hederae heliсis folium extractum spissum</i> | R05CA12 | Krewel Meuselbach GmbH |
| Hedespan | 7 mg/ml syrup - 100 ml | <i>Растителен лекарствен продукт</i> | R05CA 0 | ДАНСОН-БГ ООД |
| Helicid | 20 mg gastro-resistant hard capsules x 14; x 28; x 90 | <i>Omeprazole</i> | A02BC01 | Zentiva k.s. |
| Helituspan | 7 mg/ml syrup x 120 ml | <i>Ivy Leaf dry extract</i> | R05CA12 | Софарма АД |
| Heparin 1000 DS | 1000 IU/g gel - 50 g | <i>Heparin</i> | C05BA03 | “ДАНСОН-БГ“ ООД |
| Heparin PLUS DS | 1000 IU + 20 mg + 100 mg + 1 mg/g gel - 50 g | <i>Heparin</i> | C05BA03 | “ДАНСОН-БГ“ ООД |
| Heparoid Zentiva | 100 IU/mg ointment - 30g | <i>Heparinoid</i> | C05BA01 | Санофи България ЕООД |
| Hepeel N | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Herbion iceland moss | 6 mg/ml syrup x 150 ml | <i>Растителен лекарствен продукт</i> | R05D | KRKA, d.d. Novo Mesto |
| Herbion Ivy | 7 mg/ml syrup 150 ml x 1 | <i>Растителен лекарствен продукт</i> | | KRKA, d.d. Novo Mesto |
| Herbion Ivy | lozengez x 8; x 16; x 24; x 32; x 40 | <i>Растителен лекарствен продукт</i> | R05CA 12 | KRKA, d.d. Novo Mesto |
| HERPEX | 50 mg/g cream x 10 g | <i>Aciclovir</i> | D06BB03 | Фортекс Нутрасютикалс ООД |
| Hexalgin | sol. 500 mg/ml – 20 ml; - 50 ml; - 100 ml | <i>Metamizole sodium</i> | N02BB02 | HEXAL AG |
| HEXORAL без лекарско предписание за възрастни и деца над 6 години | 0,1 g/100 ml oromucosal solution | <i>Hexetidin</i> | A01AB12 | McNeil Products Limited |
| Hexoraletten N | 5 mg/1,5 mg lozenges x 20 | <i>Benzocaine/ Chlorhexidine hydrochloride</i> | A02AA05 | McNeil Products Limited |
| Hidrasec | caps. 100 mg x 10; x 20 | <i>Racecadotril</i> | A07XA04 | БИОПРОЖЕТ PHARMA |
| Histalor | 5 mg/5 ml syr. 120 ml | <i>Loratadine</i> | R06AX13 | Софарма АД |
| Homeogene 9 | tablets x 60 | <i>Хомеопатичен лекарствен продукт</i> | R0 | Voiron |
| Homeoplasmine | oint. - 40g | <i>Хомеопатичен лекарствен продукт</i> | D08AD00 | Voiron |

| | | | | |
|------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------|---------|----------------------------------|
| Homeoptic | 0,4 ml eye drops, solution x 10; x 20, x 30 | Хомеопатичен лекарствен продукт | | Boiron |
| Homeovox | coated tablets x 60 | Хомеопатичен лекарствен продукт | | Boiron |
| Hormeel SN | drops - 30ml | Хомеопатичен лекарствен продукт | | Biologische Heilmittel Heel GmbH |
| Hotemin | cream 0,5g - 50 g | <i>Piroxicam</i> | M02AA07 | Egis Pharmaceuticals |
| Humexgrip | 500 mg/60 mg tablets x 12 + 500 mg/4 mg capsules x 4 | <i>Paracetamol/Chlorphenamine maleate/ Pseudoephedrine</i> | N02BE51 | Laboratoires Urgo |
| Hustagil Thyme Cough | syr. - 150ml | <i>Thyme fluid extract</i> | R05CA | Dentinox Gesellschaft |
| Husteel | oral drops, solution - 30ml | Хомеопатичен лекарствен продукт | R 0 | Biologische Heilmittel Heel GmbH |
| Hydrogen peroxide – Flo | 3% cutaneous solution - 100 ml; -1000 ml | <i>Hydrogen peroxide</i> | D08AX01 | Флора-02 ЕООД |
| Hydrogen peroxide Chemax Pharma 3% | 3% cutaneous solution - 100 ml; -1000 ml | <i>Hydrogen peroxide</i> | D08AX01 | Химакс Фарма ЕООД |
| Hydrogen Peroxide Galen Pharma | 3% cutaneous solution - 100ml; - 1000 ml | <i>Hydrogen peroxide</i> | D08AX01 | Гален Фарма ООД |
| Hydrogen peroxide Kupro | 3% cutaneous solution - 100 ml; 1000 ml | <i>Hydrogen peroxide</i> | D08AX01 | Купро 94 ООД |
| Hydrogenii Peroxidatum VT | 3% cutaneous solution – 100 ml; - 1000 ml | <i>Hydrogen peroxide</i> | D08AX01 | ВЕТА ФАРМА |
| HYGIA | 1% shampoo - 120 g | <i>Permethrin</i> | P03AC04 | Софарма АД |
| IBALGIN FAST | 400 mg film - coated tablets 6 x 1; x 2 | <i>Ibuprofen</i> | M01AE01 | Санофи България ЕООД |
| Ibalgin Rapid | 400 mg capsules, soft x 12; x 24 | <i>Ibuprofen</i> | M01AE01 | Zentiva k.s |
| Iberogast | oral drops, solution - 20 ml.; - 50 ml; - 100 ml | Растителен лекарствен продукт | A03AX | Байер България ЕООД |
| Ibudolor Duo | 50 mg/g + 30 mg/g gel x 40 g; x 60 g | <i>Ibuprofen</i> | M02AA13 | Actavis Group PTC ehf. |
| Ibulek | 400 mg powder for oral solution x 6; x 8; x 10; x 20; x 30; x 40; x 50 | <i>Ibuprofen</i> | M01AE01 | Адифарм ЕАД |
| Ibulek | 600 mg powder for oral solution x 6; x 8; x 10; x 20; x 30; x 40; x 50 | <i>Ibuprofen</i> | M01AE01 | Адифарм ЕАД |
| Ibulek Children | 100 mg/5ml oral suspension x 120 ml | <i>Ibuprofen</i> | M01AE01 | Адифарм ЕАД |
| IbuMenthol | 50mg/g + 30mg/g gel x 30 g; x 40 g; x 45 g | <i>Ibuprofen/Levomenthol</i> | M02AA13 | Антибиотик - Разград АД |

| | | | | |
|--------------------------|-------------------------------------------------------------------|-------------------------------------------------------|----------|-------------------------------------|
| Ibupian | 200 mg capsules, soft x 10; x 12; x 20; x 24; x 30; x 48; x 50 | <i>Ibuprofen</i> | M01AE01 | Sandoz d.d. |
| Ibupian | 400 mg capsules, soft x 10; x 12; x 20; x 24; x 30; x 48; x 50 | <i>Ibuprofen</i> | M01AE01 | Sandoz d.d. |
| Ibuprofen Pharma | 400 mg film-coated tablets x 20 | <i>Ibuprofen</i> | M01AE01 | ФАРМА АД България |
| Ibuprofen Polfa | 200 mg film-coated tablets x 20; x 100 | <i>Ibuprofen</i> | M01AE01 | Adamed Pharma S.A. |
| Ibuprofen Stada StopCold | 400 mg/ 10 mg film - coated tablets x 10; x 12; x 16; x 20; x 24 | <i>Ibuprofen/Phenylephrine</i> | M01AE 51 | Stada Arzneimittel AG |
| Ibuprom | 100 mg/5 ml oral suspension-100 ml x 1; 150 ml x 1; 200 ml x 1 | <i>Ibuprofen</i> | M01AE01 | US Pharmacia International Inc. |
| IBUPROM COLD & FLU | 200 mg/6,1 mg coated tablets x 6; x 12; x 16; x 24 | <i>Ibuprofen/Phenylephrine</i> | M01AE 51 | US Pharmacia Sp. Z.o.o |
| IBUPROM FOR KIDS | 200 mg film-coated tablets x 2; x 6; x 10; x 50 | <i>Ibuprofen</i> | M01AE01 | US Pharmacia Sp. Z.o.o. |
| Ibuprom Max | 400 mg film-coated tablets x 6; x 12; x 24 | <i>Ibuprofen</i> | M01AE 1 | US Pharmacia Sp.z.o.o. |
| Ibuprom Optima | 200 mg/5 ml oral suspension x 30 ml; x 100 ml; x 150 ml; x 200 ml | <i>Ibuprofen</i> | M01AE01 | US Pharmacia Sp.z.o.o. |
| Ibuprom Sinus | 200 mg/30 mg film-coated tablets x 2; x 6; x 12; x 24 | <i>Ibuprofen/Pseudoephedrine</i> | M01AE51 | US Pharmacia Sp.z.o.o. |
| Ibuprom Sprint Caps | 200 mg capsules, soft x 6; x 10; x 12; x 24; x 30 | <i>Ibuprofen</i> | M01AE01 | US Pharmacia Sp.z.o.o. |
| Ibuprom Sprint MAX | 400 mg capsules, soft x 6; x 10; x 20 | <i>Ibuprofen</i> | M01AE01 | US Pharmacia Sp.z.o.o. |
| Iburapid | 400 mg film-coated tablets x 10; x 20 | <i>Ibuprofen</i> | M01AE01 | Химакс Фарма ЕООД |
| Iburapid Kids | 100 mg/5ml oral suspension x 100 ml; x 150 ml | <i>Ibuprofen</i> | M01AE 1 | Химакс Фарма ЕООД |
| Ibutop | 50 mg/g cream - 50 g; -100 g | <i>Ibuprofen</i> | M02AA13 | Dolorgiet GmbH & Co.KG |
| Ibutop | 50 mg/g gel - 50g | <i>Ibuprofen</i> | M02AA13 | Dolorgiet GmbH & Co.KG |
| Ichthammol Galen-Pharma | 10% ointment - 15g; 30g | <i>Ichthammol</i> | D08AX | Гален Фарма ООД |
| Ideos | 500 mg/400 IU chew. tabl x 30; x 60 | <i>Calcium carbonate/Cholecalciferol (Vitamin D3)</i> | A12AA00 | Laboratoires Innotech International |
| Imazol Paste | 1% cutaneous paste - 25g | <i>Clotrimazole</i> | D01AC | Spirig Eastern a.s. |

| | | | | |
|--------------------------------------------------------------------|----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------|
| Immunokind | tabl. x 150 | <i>Хомеопатичен лек. продукт</i> | | Alpen Pharma GmbH |
| Imodium Instant | 2 mg orodispersible tablets x 6; x 12; x 18; x 24 | <i>Loperamide</i> | A07DA03 | McNeil Healthcare Ltd. |
| Imodium Plus | 2 mg/125 mg caplets x 2; x 4; x 5; or 6 | <i>Loperamid hydrochloride/Simethicone</i> | A07DA53 | McNeil Healthcare (Ireland) Limited |
| Imodium без лекарско предписание при възрастни и деца над 6 години | 2 mg caps. x 6 | <i>Loperamide hydrochloride</i> | A07DA03 | McNeil Healthcare Ltd. |
| Imomed | 2 mg tablets x 10 | <i>Loperamide hydrochloride</i> | A07DA03 | Софарма АД |
| Imoper | 667 mg/ml syrup - bottles 200 ml x 1, sachets 15 ml x 10 | <i>Lactulose</i> | A06AD11 | Активис ЕАД |
| Indometacin "Sopharma" | 10g/100 g ointment - 40 g | <i>Indometacin</i> | M02AA23 | Софарма АД |
| INDOMETACIN DS | 10 % ointment - 40 g | <i>Indometacin</i> | M02AA 23 | ДАНСОН-БГ ООД |
| Indovasin | 30 mg/20 mg/1 g gel - 45 g | <i>Indometacin/Troxaerutin</i> | C05CA54 | Активис ЕАД |
| Inoseda | 250 mg/5ml syrup 120 ml x 1 | <i>Inosine pranobex</i> | J05AX05 | ВОРЛД МЕДИЦИНЕ ЕВРОПА ЕООД |
| Influcid | tablets x 60 | <i>Aconitum trit. D3/Bryonia trit. D2/Eupatorium perfoliatum trit. D1/Gelsemium trit. D3/Ipecacuanha trit. D3/Phosphorus trit. D5</i> | | Alpen Pharma GmbH |
| Influnasal 1g/10g | nasal spray, solution x 20 ml | <i>Хомеопатичен лекарствен продукт</i> | | Deutsche HomoopathieUnion, DHU Arzneimittel GmbH & Co. KG |
| INOVOX Express honeylemon flavor | 2 mg + 0,60 mg + 1,20 mg lozenges x 12; x 24; x 36 | <i>Dichlorobenzyl alcohol/Amylmethacrezol/Lidocaine hydrichloride</i> | R02AA20 | US Pharmacia Sp. Z.o.o |
| INOVOX Express mint flavor | 2 mg + 0,60 mg + 1,20 mg lozenges x 12; x 24; x 36 | <i>Dichlorobenzyl alcohol/Amylmethacrezol/Lidocaine hydrichloride</i> | R02AA20 | US Pharmacia Sp. Z.o.o |
| INOVOX Express orange flavor | 2 mg + 0,60 mg + 1,20 mg lozenges x 12; x 24 | <i>Dichlorobenzyl alcohol/Amylmethacrezol/Lidocaine hydrichloride</i> | R02AA20 | US Pharmacia Sp. Z.o.o |

| | | | | |
|--------------------------------------------------------------------|------------------------------------------------------------------|----------------------------------------|---------|----------------------------------|
| Iodseptadon | 10% cutaneous solution. -100 ml; 1000 ml | <i>Iodinated povidone</i> | D08AG 2 | Химакс Фарма ЕООД |
| Iruzol mono | ointment - 20g; 30 g | <i>Collagenase N</i> | D03BA | T.J.Smith & Nephew Ltd. |
| Ivitus | 7 mg/ml oral solution - 100 ml; 150 ml; 200 ml | <i>Expectorants</i> | R05CA 0 | Булгермед ВЕ ООД |
| Jodaderm VT | 10% cutaneous solution x 100 ml; x 1000 ml | <i>Povidone-iodine</i> | D08AG0 | ВЕТА ФАРМА" АД" |
| Jodasept | 10 % ointment - 90g | <i>Povidone-iodine</i> | D08AG02 | Тева Фарма ЕАД |
| Jodasept Kupro | 10% ointment - x 20 g; x 40 g; x 50 g; x 90 g; x 100 g | <i>Povidone-iodine</i> | D08AG02 | Купро 94 ООД |
| Jodasept Kupro | 10% (w/w) cutaneous solution - 100 ml, 1000 ml | <i>Povidone-iodine</i> | D08AG02 | Купро 94" ООД" |
| Kalii Iodidum Ramcopharm | 65 mg tabl. x 10 | <i>Potassium iodide</i> | V03AB21 | Рамкофарм ООД |
| KA-VIT | 20 mg/ml oral drops, emulsion x 5 ml; x 10 ml | <i>Phytomenadione</i> | B02BA01 | Abanta Pharma GmbH |
| Ketoderm | 20 mg/g shampoo x 60 ml; x 100 ml; x 120 ml | <i>Ketoconazole</i> | D01AC08 | S.C. SLAVIA PHARM S.R.L. |
| Ketonal | 50 mg capsules, hard x 10; x 20 | <i>Ketoprofen</i> | M01AE03 | Lek Pharmaceuticals d.d., |
| Ketonal | 25 mg granules for oral solution in sachets x 12; x 15; x 18 | <i>Ketoprofen</i> | M01AE03 | Sandoz d.d. |
| Ketonal Intensive | 50 mg granules for oral solution in sachets x 6; x 8; x 10; x 12 | <i>Ketoprofen</i> | M01AE03 | Sandoz d.d. |
| KETORAPID | 50 mg granules for oral solution in sachet x 6; x 12 | <i>Ketoprofen</i> | M01AE | Химакс Фарма |
| Ketozal | 2% shamp. - 60 ml; - 80 ml | <i>Ketoconazole</i> | D01AC08 | Химакс Фарма ЕООД |
| Ketozyn | 25 mg granules for oral solution in sachets x 15 | <i>Ketoprofen</i> | M01AE03 | БЮТИ СИСТЕМ ФАРМА ООД |
| Kindinorm | pillules - 10 g | <i>Хомеопатичен лекарствен продукт</i> | | Alpen Pharma GmbH |
| Klimadynon | 2,8 mg film-coated tablets x 60; x 90 | <i>Растителен лекарствен продукт</i> | G02CX00 | Bionorica AG |
| Klimakt-Heel | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | G 0 | Biologische Heilmittel Heel GmbH |
| Ksivozan без лекарско предписание за възрастни и деца над 6 години | 5 mg film-coated tablets x 10; x 20; x 30 | <i>Levocetirizine</i> | R06AE09 | АДИФАРМ ЕАД |
| L- Cetiricon | 5 mg film-coated tablets x 7; x 20 | <i>Levocetirizine</i> | R06AE09 | ФАРМАКОНС АД |

| | | | | |
|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|--------------------------------------------------|----------|----------------------------------------------------|
| Lactulax | 670 mg/ml oral solution x 100 ml; x 200 ml; x 250 ml, x 300 ml; x 500 ml, 1000 ml; sachets 15 ml x 10 | <i>Lactulose</i> | A06AD 11 | Булгермед БЕ ООД |
| Lactulose - MIP | 65 g/100 ml syrup – 100 ml; 200 ml; 500 ml; 1000 ml | <i>Lactulose</i> | A06AD01 | MIP Pharma GmbH |
| Lactulose AL Sirup | 66,7 g/100 ml syr. – 200 ml; - 500 ml; - 1000 ml | <i>Lactulose</i> | A06AD11 | Stada Arzneimittel AG |
| Lactus за показание: профилактика и лечение на портално-системно обусловена енцефалопатия – по лекарско предписание | 66,7 g/100 ml syrup – 200 ml; - 500 ml; - 1000 ml | <i>Lactulose</i> | A06AD 11 | Stada Arzneimittel AG |
| Ladiva | capsules x 8; x 16 | <i>Растителен лекарствен продукт</i> | G02CX | Medis GmbH Австрия |
| Lamisil | 1% cream 15g ; 30 g | <i>Terbinafine</i> | D01AE15 | GlaxoSmithKline Dungarvan Limited |
| Lamisil | 1% cutaneous spray, solution- 15 ml, 30 ml | <i>Terbinafine</i> | D01AE15 | GlaxoSmithKline Dungarvan Limited |
| Lamisil DermGel | 1% gel - 15 mg | <i>Terbinafine</i> | D01AE15 | GlaxoSmithKline Dungarvan Limited |
| Laxx | 7,5 mg/ml oral drops, solution | <i>Sodium picosulphate</i> | A06AB08 | “ДАНСОН-БГ“ ООД |
| Lecrolyn sine | 40 mg/ml eye drops, solution - 1 x 5 ml; 2 x 5 ml; 3 x 5 ml; 1 x 10 ml | <i>Sodium cromoglicate</i> | S01GX01 | Santen OY |
| Legalon | 140 mg capsules x 20; x 30; x 60; x 100; x 180 | <i>Silymarin</i> | A05BA03 | Майлан ЕООД |
| Lekadol Complex | 200 mg/ 500 mg film-coated tablets x 10; x 16 | <i>Paracetamol/Ibuprofen</i> | M01AE 51 | Sandoz d.d., |
| Levaxan | 80 mg soft capsules x 14; x 28; x 42; x 56; 84 | <i>Lavandula angustifolia Mill., aetheroleum</i> | N05BX05 | Dr. Willmar Schwabe GmbH & Co.KG |
| Libexin | tabl.100 mg x 20 | <i>Prenoxidiazine</i> | R05DB18 | Санofi-Авентис България ЕООД |
| Linola Fett | 0,815g/100 g cream x 50g | <i>Unsaturated fatty acids</i> | D02A00 | Dr. August Wolff GmbH & Co. Arzneimittel |
| Linola Fett Olbad | bath additive 200 ml; 400 ml | <i>Paraffin, liquid</i> | D02AX | Dr. August Wolff GmbH & Co. Arzneimittel |
| Lioton 1000 Gel | gel 1000 IU/g - 30 g; - 50 g; 100 g | <i>Heparin</i> | C05BA01 | A.MENARINI Industrie Farmaceutiche Riunite s.r.l., |

| | | | | |
|---------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------|----------|--------------------------------------------------|
| Lomexin | cream 2% - 30g | <i>Fenticonazole</i> | D01AC12 | RECORDATI Industria Chimicae Pharmaceutica S.p.A |
| Lopedium | 2 mg caps. x 10 | <i>Loperamide</i> | A07DA03 | HEXAL AG |
| Loperamide Ecopharm | 2 mg tablets x 10 | <i>Loperamide</i> | A07DA 3 | Екофарм Груп АД |
| Lorano | 10 mg tabl. x 7; x 14 | <i>Loratadine</i> | R06AX13 | HEXAL AG |
| Loratadin Sopharma | 10 mg tablets x 10; x 30 | <i>Loratadine</i> | R06AX13 | Софарма АД |
| Lymphomyosot | oral drops, solution – 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Lymphomyosot | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Magne B6 | 470 mg/5 mg coated tablets x 50 | <i>Magnesium lactate/Pyridoxine hydrochloride</i> | A12CC00 | Санофи-Авентис България ЕООД България |
| Magnerich | 500 mg tablets x 30; x 60 | <i>Magnesium aspartate</i> | A12CC05 | Тева Фарма ЕАД |
| Magnesium Diasporal | 400 mg powder for oral solution x 20, x 50, x 100, multipack 200 (10 x 20; 4 x 50; 2 x 100) | <i>Magnesium citrate</i> | A12CC04 | Protina Pharmazeutische Gesellschaft GmbH |
| Magnesium Diasporal 300 | granules for oral solution - x 20 | <i>Magnesium citrate</i> | A12CC04 | Protina Pharmazeutische GmbH |
| Magnesium Diasporal Direct | 400 mg granules x 20; x 50; x 100; x 200 | <i>Magnesium</i> | A12CC30 | Protina Pharmazeutische GmbH |
| Magnesium sulphate Toni-M | powder for oral solution - 30g | <i>Magnesium sulfate heptahydrate</i> | A06AD04 | Тони-М ООД |
| Mastodynon | tablets x 60; x 120; x 240 | <i>Хомеопатичен лекарствен продукт</i> | | Bionorica SA |
| Mastodynon | oral drops, solution -100 ml | <i>Хомеопатичен лекарствен продукт</i> | | Bionorica SA |
| Maurers Krautergarten Original Schwedenbitter aus 32 krautern | solution - 100 ml; 250 ml; 500 ml | <i>Растителен лекарствен продукт</i> | A13A00 | Унифарм АД |
| Melkidos | 750 micrograms tablets, blister x 2 | <i>Levonorgestrel</i> | G03AD01 | Laboratorios Leon Farma SA |
| Memoplant | 40 mg film-coated tablets x 20; x 50; x 100 | <i>Ginkgo biloba</i> | N06BX19 | Dr. Willmar Schwabe Arzneimittel |
| Metafen Max | 200 mg/ 500 mg film-coated tablets blisters: x 10; x 20 | <i>Ibuprofen/ Paracetamol</i> | M01AE 51 | Zakłady Farmaceutyczne POLPHARMA |

| | | | | |
|---------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------|-----------------------------------|
| Menthol Galen Pharma | 2% ointment – 100 g | <i>Levomenthol</i> | R01AX | Гален Фарма ООД |
| Mezym Forte | 10 000 Eur. Ph. U. gastro-resistant tablets x 10; x 20; x 50; x 100 | <i>Lipase/Protease/Amylase</i> | A09AA02 | Berlin-Chemie AG (Menarini Group) |
| Microlax | 4,465 g/0,45 g/0,0645 g/5 ml rectal solution x 4; x 6; x 12; x 50 | <i>Sodium citrate/Sodium lauryl sulfoacetate/Sorbitolliiquid</i> | A06AG11 | McNeil Products Limited |
| MIG - 400 | 400 mg film-coated tablets x 10; x 20; x 30; x 50 | <i>Ibuprofen</i> | M01AE01 | Berlin-Chemie AG (Menarini Group) |
| MIG for children | 20 mg/ml oral suspension x 100 ml, x 200 ml | <i>Ibuprofen</i> | M01AE01 | Berlin-Chemie AG (Menarini Group) |
| MIG junior | 40 mg/ml oral suspension 1 x 30 ml; 1 x 100 ml; 1 x 150 ml; 1 x 200 ml | <i>Ibuprofen</i> | M01AE01 | Berlin-Chemie AG (Menarini Group) |
| Milgamma | 50 mg/250 micrograms coated tablets x 20 x 50 x 100 | <i>Benfotiamine</i> | A11DA03 | Woerwag Pharma GmbH & Co. KG |
| Milgamma Protect | 300 mg film-coated tablets x 30; x 60; x 100 | <i>Benfotiamine</i> | A11DA03 | Woerwag Pharma GmbH & Co. KG |
| Milorofen | 200 mg film-coated tablets x 10; x 20 | <i>Ibuprofen</i> | M01AE01 | ДАНСОН-БГ ООД |
| Milofen Kids | 20 mg/ml oral suspension x 100 ml | <i>Ibuprofen</i> | M01AE01 | ДАНСОН-БГ ООД |
| Mixtura alba Galen Pharma | 4 g/40 g cutaneous suspension | <i>Zinc oxide</i> | D02AB | Гален Фарма ООД |
| Mobilat | cream - 50 g; - 100g | <i>Extract from adrenal gland/Heparinoid mucopolysaccharide polysulphate/Salicylic acid</i> | M02AC00 | Stada Arzneimittel AG |
| Mobilat | gel - 50 g; -100g | <i>Extract from adrenal gland/Heparinoid mucopolysaccharide polysulphate/ Salicylic acid</i> | M02AC00 | Stada Arzneimittel AG |
| Molaxole | powder for oral solution x 2; x 6; x 8; x 10; x 20; x 30; x 40; x 50; x 60; x 100 | <i>Sodium chloride/ Potassium chloride/ Sodium hydrogen carbonates/ Macrogol</i> | A06AD65 | Майлан ЕООД |
| MomaNose | 50 micrograms/ actuation nasal spray, suspension 1 x 60; 1 x 120; 1 x 140; 2 x 140; 3 x 140 | <i>Mometasone</i> | R01AD09 | Sandoz d.d. |

| | | | | |
|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---------|---------------------------|
| Moviprep | powder for oral solution in sachets x 1; x 10; x 40; x 80; x 160; x 320 hospital packs x 40 | <i>Sodium chloride/ Potassium chloride/ Ascorbic acid/ Sodium sulphat anhydrous/ Sodium ascorbate/ Macrogol</i> | A06AD | Norgine Ltd |
| Mucoangin | 20 mg lozenge x 3; x 10; x 20; x 50 | <i>Ambroxol</i> | | САНОФИ БЪЛГАРИЯ ЕООД |
| Mucofalk Orange | 3.25/5g granules x 20; 150g; 300 g | <i>Plantaginis ovatae folliculis saxonis</i> | A06AB00 | Dr.Falk Pharma GmbH |
| Mucogrip | 200 mg/30 mg film-coated tablets x 10; x 20 | <i>Ibuprofen/Pseudoephedrine hydrochloride</i> | R05X | САНОФИ БЪЛГАРИЯ ЕООД |
| Mucohelix | syrup - 100 ml | <i>Hederae helicis folii extractum siccum</i> | R05CA12 | САНОФИ БЪЛГАРИЯ ЕООД |
| Muconasal Plus | 0,118% nasal spray, solution - 10 ml | <i>Tramazoline</i> | R01AA09 | САНОФИ БЪЛГАРИЯ ЕООД |
| Mucoplant Spitzwegerich Hustensaft | syrup 5g/100g - 100 ml; - 250 ml | <i>Растителен лекарствен продукт</i> | R05FB02 | Dr Theiss Naturwaren GmbH |
| Mucoplant Anisol | capsules 100 mg x 30 | <i>Anise oil/Anisi aetheroleum</i> | R05C | Dr Theiss Naturwaren GmbH |
| Mucoplant cough syrup ivy | 154 mg/100 ml syrup 100 ml; 200 ml; 250 ml | <i>Ivy leaf dry extract (Hedera helix L) Extraction solvent: Ethanol</i> | R05C | Dr Theiss Naturwaren GmbH |
| Mucoplant Eukalyptus Erkaeltungs-balsam S | ointment - 20g; - 50g | <i>Camphor/Eucalyptus oil/Pine oil</i> | R05X00 | Dr.Theiss Naturwaren GmbH |
| Mucosoft | 600 mg powder for oral solution x 6; x 10 | <i>Acetylcysteine</i> | R05CB01 | Адифарм ЕАД |
| Mucosoft Complex | 500 mg/200 mg powder for oral solution x 10 | <i>Acetylcysteine/Paracetamol</i> | R05X | Адифарм ЕАД |
| Mucosolvan | 15 mg/5ml syrup - 100 ml | <i>Ambroxol</i> | R05CB06 | САНОФИ БЪЛГАРИЯ ЕООД |
| Mucosolvan | 15 mg soft pastilles x 10; x 20 | <i>Ambroxol</i> | R05CB06 | САНОФИ БЪЛГАРИЯ ЕООД |
| Mucosolvan | 30 mg tablets x 20 | <i>Ambroxol</i> | R05CB06 | САНОФИ БЪЛГАРИЯ ЕООД |
| Mucosolvan Max | 75 mg prolonged-release capsules x 10; x 20; x 50; x 100 | <i>Ambroxol</i> | R05CB06 | САНОФИ БЪЛГАРИЯ ЕООД |
| Mucosolvan без лекарско предписание при възрастни и деца над 2 години по лекарско предписание при деца до 2 години | 30 mg/5ml syrup - 100 ml | <i>Ambroxol</i> | R05CB06 | САНОФИ БЪЛГАРИЯ ЕООД |

| | | | | |
|------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------|---------|----------------------------------|
| Mycodafen | 8 % medicated nail lacquer - 3,3 ml; 6,6 ml | <i>Ciclopirox</i> | D01AE14 | ЕКОФАРМ ГРУП АД |
| Myrtol | 120 mg gastro-resistant soft capsules x 20; x 50; x 100 | <i>Myrtol standardized</i> | R05CB | G. Pohl-Boskamp GmbH & Co. KG |
| Nalgesin | 275 mg film-coated tablets x 10 | <i>Naproxen sodium</i> | M01AE02 | KRKA, d.d. Novo Mesto |
| Nasacort | 55 micrograms/dose nasal spray, suspension - x 30; x 120 actuations | <i>Triamcinolone acetonide</i> | R01AD11 | САНОФИ БЪЛГАРИЯ ЕООД |
| Nasic | 5% 0,1% nasal spray, solution 10 ml | <i>Dexpanthenol/Xylometazoline</i> | R01AB06 | Cassella-med GmbH & Co.KG |
| Nasic kids | 5% 0,05% nasal spray, solution, 10 ml | <i>Dexpanthenol/Xylometazoline</i> | R01AB06 | Cassella-med GmbH & Co.KG |
| Naso-Heel S | oral drops, solution – 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Natural Senna Laxative | 210 mg tablets x 30 | <i>Sennae folium</i> | A06AB06 | СД Панацея 2001 |
| Nazopass | 0,25 mg/ ml nasal drops, solution 10 ml x 1 | <i>Oxymetazoline</i> | R01AA05 | Alkaloid-INT d.o.o. |
| Nazopass | 0,5 mg/ ml nasal drops, solution 10 ml x 1 | <i>Oxymetazoline</i> | R01AA05 | Alkaloid-INT d.o.o. |
| Neo-angin | 1,20 mg/0,60 mg/5,90 mg lozenges x 24 | <i>2,4-dichlorbenzylalcohol/Levomenthol/ Amylmethacrezol</i> | R02AA | DIVAPHARMA GmbH |
| Neo-Angin cherry | 1,20 mg/0,60 mg/5,90 mg lozenge x 12; x 16; x 24; x 48 | <i>2,4-dichlorbenzylalcohol/ Levomenthol/Amylmethacrezol</i> | R02AA | DIVAPHARMA GmbH |
| Neo-Angin sage | 1,20 mg/0,60 mg/5,90 mg lozenge x 12; x 16; x 24; x 48 | <i>Dichlorobenzyl alcochol/ Amylmetacresol/ Menthol</i> | R02AA20 | DIVAPHARMA GmbH |
| Neo-Angin sugar free | 1,20 mg/0,60 mg/5,72 mg lozenges x 16; x 24 | <i>Dichlorobenzyl alcochol/ Amylmetacresol/ Menthol</i> | R02AA20 | DIVAPHARMA GmbH |
| Neo-bronchin | 15 mg lozenges x 20 | <i>Ambroxol</i> | R05CB06 | DIVAPHARMA GmbH |
| Nervoheel N | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Neurexan | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Neurobex | 15 mg/10mg/0,02mg coated tablets x 28; x 30; x 60; x 150 | <i>Thiamine monohydrate/ Pyridoxine hydrochloride/ Cyancobalamin</i> | A11DB00 | Тева Фарма ЕАД |
| Nicorette Berrymint | 1 mg/ spray oromucosal spray, solution 1 x 1; 2 x 1 | <i>Nicotine</i> | N07BA 1 | McNeil AB |
| Nicorette Clear | 10 mg/16 h transdermal patch x 7; x 14 | <i>Nicotine</i> | N07BA01 | McNeil AB |

| | | | | |
|-----------------------|------------------------------------------------------------------------------------------|---------------------------|----------|-------------------------------------------------|
| Nicorette Clear | 15 mg/16 h transdermal patch x 7; x 14; x 28 | <i>Nicotine</i> | N07BA01 | McNeil AB |
| Nicorette Clear | 25 mg/16 h transdermal patch x 7; x 14; x 28 | <i>Nicotine</i> | N07BA01 | McNeil AB |
| Nicorette Freshmint | 1 mg/spray, oromucosal spray, solution x 1 x 1 dispenser; x 2 x 1 dispenser | <i>Nicotine</i> | N07BA01 | McNeil AB |
| Nicorette Icemint | 4 mg medicated chewing-gum x 12; x 15; x 24; x 30; x 48; x 90; x 96; x 105; x 204; x 210 | <i>Nicotine</i> | N07BA01 | McNeil AB |
| Nicorette Icemint | 2 mg medicated chewing-gum x 12; x 15; x 24; x 30; x 48; x 90; x 96; x 105; x 204; x 210 | <i>Nicotine</i> | N07BA01 | McNeil AB |
| Nizoral | 2% shampoo 20mg/g - 60ml | <i>Ketoconazole</i> | D01AC08 | STADA Arzneimittel AG |
| Nolpaza control | 20 mg gastro-resistant tablets, blisters x 7(7x1); x 14(7x2, 14x1) | <i>Pantoprazole</i> | A02BC02 | KRKA, d.d. Novo Mesto |
| No-spa | 40 mg tabl. x 20; x 24; x 60 | <i>Drotaverine</i> | A03AD02 | САНОФИ БЪЛГАРИЯ ЕООД |
| No-spa Comfort | 40 mg film-coated tablets x 24 | <i>Drotaverine</i> | A03AD0 | САНОФИ БЪЛГАРИЯ ЕООД |
| No-Spa MAX | 80 mg film-coated tablets x 10; x 12; x 20; x 24 | <i>Drotaverine</i> | A03AD 2 | САНОФИ БЪЛГАРИЯ ЕООД |
| Nospalgin | 400 mg/ 100 mg film-coated tablets x 6; x 10; x 12; x 15; x 18; x 20; x 24 | <i>Ibuprofen/Caffeine</i> | M01AE 51 | САНОФИ БЪЛГАРИЯ ЕООД |
| Nulsora | 1,5 mg tablet x 1 | <i>Levonorgestrel</i> | G03AD01 | Sandoz d.d. |
| Nurofen | 200 mg medicated plaster x 2; x 4; x 6; x 8; x 10 | <i>Ibuprofen</i> | M02AA 13 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen | 200 mg coated tablets x 12; x 24; x 10 | <i>Ibuprofen</i> | M01AE01 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Active | 200 mg orodispersible tablet x 6; x 12; x 24 | <i>Ibuprofen</i> | M01AE01 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Express | 200 mg capsule, soft x 2; x 4; x 6; x 8; x 10; x 12; x 16; x 20; x 24; x 30; x 40; x 50 | <i>Ibuprofen</i> | M01AE 1 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Express Forte | 400 mg capsules, soft x 2; x 4; x 6; x 8; x 10; x 12; x 16; x 20; x 24; x 30; x 40; x 50 | <i>Ibuprofen</i> | M01AE01 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Femina Forte | 512 mg coated tablets x 12; x 24 | <i>Ibuprofen</i> | M01AE 1 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen for Children | 60 mg supp. x 10 | <i>Ibuprofen</i> | M01AE01 | Reckitt Benckiser Healthcare International Ltd. |

| | | | | |
|-----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|----------|--------------------------------------------------|
| Nurofen for Children | 125 mg supp. x 10 | <i>Ibuprofen</i> | M01AE01 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen for children Forte Orange | 200 mg/5 ml oral suspension x 30 ml x 1; x 50 ml x 1; x 100 ml x 1; x 150 ml x 1; x 200 ml x 1 | <i>Ibuprofen</i> | M01AE 1 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen for children forte strawberry | 200 mg/5 ml oral suspension x 30 ml x 1; x 50 ml x 1; x 100 ml x 1; x 150 ml; x 200 ml x 1 | <i>Ibuprofen</i> | M01AE 1 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen for children Orange | 100 mg/5ml oral suspension-100 ml x 1 | <i>Ibuprofen</i> | M01AE01 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen for children strawberry | 100 mg/5ml oral suspension - 100 ml | <i>Ibuprofen</i> | M01AE01 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Junior Orange | 100 mg chewable capsules, soft x 2; x 4; x 6; x 8; x 10; x 12; x 14; x 16; x 18; x 20; x 22; x 24; x 26; x 28; x 30; x 32 | <i>Ibuprofen</i> | M01AE01 | Reckitt Benckiser Healthcare International Ltd., |
| Nurofen Junior Orange | 200 mg/5 ml oral suspension x 30; x 50; x 100; x 150; x 200 | <i>Ibuprofen</i> | M01AE01 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Junior Strawberry | 200 mg/5 ml oral suspension x 30; x 50; x 100; x 150; x 200 | <i>Ibuprofen</i> | M01AE01 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen Migraine Pain | 342 mg film-coated tabl. x 12 | <i>Ibuprofen lysine</i> | M01AE01 | Reckitt Benckiser Healthcare International Ltd. |
| Nurofen STOPCOLD | 200 mg/30 mg film-coated tablet x 12; x 24 | <i>Ibuprofen/Pseudoephedrine</i> | M01AE51 | Boots Healthcare International |
| Nurofen X 2 | 256 mg coated tablets x 12; x 24 | <i>Ibuprofen</i> | M01AE51 | Reckitt Benckiser Healthcare International Ltd |
| NURULIN DUO | 500 mg/200 mg tablets x 10; x 12; x 20; x 24 | <i>Paracetamol/Ibuprofen</i> | M01AE51 | Рамкофарм ООД |
| Nux vomica-Номaccord | oral drops, solution x 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Остеангин без лекарско предписание при възрастни и деца над 12 години | 2,6 mg lozenges x 12, x 16 x, x 20, x 24 | <i>Octenidine dihydrochloride</i> | R02AA 21 | M.C.M.-Klosterfrau Vertriebsgesellschaft GmbH |
| Octecare | 1 mg/ml + 20 mg/ml cutaneous spray, solution 50 ml; 250 ml | <i>Octenidine dihydrochloride /Phenoxyethanol</i> | D08AJ 57 | Bausch Health Ireland Limited |
| Oculotect Gel | 10 mg/g eye gel - 10g | <i>Retinol</i> | S01XA02 | LABORATOIRES THEA |

| | | | | |
|-----------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------|--------------------------------------------------|
| Oftagel | 2,5 mg/g eye gel - 10g | <i>Carbomer</i> | S01XA20 | Santen OY |
| Oklys | 400 mg granules for oral solution in sachet x 10; x 20; x 30; x 40 | <i>Ibuprofen</i> | M01AE01 | Бесра Мед" ЕООД" |
| Oklys Forte | 600 mg granules for oral solution in sachet x 10, x 20, x 30, x 40 | <i>Ibuprofen</i> | M01AE01 | Бесра Мед" ЕООД" |
| Olygrip Day and Night Table | 500 mg/60 mg tablets x 12 + 500mg/25mg tablets x 4 | <i>Diphenhydramine Hydrochloride/Paracetamol/Pseudoephedrine hydrochloride/Paraceramol</i> | N02BE 51 | McNeil Healthcare (Ireland) Limited |
| Olynth | 0.1% nasal spray, solution - 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | McNeil Products Limited, c/o Johnson&Johnson Ltd |
| Olynth | 0.05% nasal spray, solution - 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | McNeil Products Limited, c/o Johnson&Johnson Ltd |
| Olynth Duo | 1 mg/ml + 50 mg/ml nasal spray, solution - x 10 ml | <i>Dexpanthenol/Xylomethazoline hydrochloride</i> | R01AA07 | McNeil Products limited |
| Olynth Hydra | 0,1% nasal spray, solution - 10 ml | <i>Xylomethazoline hydrochloride</i> | R01AA07 | McNeil Products limited |
| Omalgin | 500 mg/ml oral drops, solution - 20ml | <i>Metamizole sodium</i> | N02BB02 | “ДАНСОН-БГ“ ООД |
| Omeprazid | 20 mg gastro-resistant capsules, hard x 14 | <i>Omeprazole</i> | A02BC01 | Нобел Фарма ООД |
| Omeprazole Pharma | 20 mg gastro-resistant hard capsules x 7; x 14 | <i>Omeprazole</i> | A02BC 1 | ФАРМА АД |
| Ophthalmo-septonex | 0,2 mg/ ml +19 mg/ ml + 0,5 mg/ ml eye drops, solution - 10 ml | <i>Boric acid/Carbaethopendecine bromide/ Sodium tetraborate</i> | S01AX00 | Teva B.V TEVA Czech industries s.r.o |
| Orofar | 1 mg/1mg compressed lozenges x 24 | <i>Benzoxonium chloride/ Lidocaine hydrochloride</i> | A01AB11 | STADA Arzneimittel AG |
| Orofar | 0,2%/0,15% oromucosal spray 30 ml | <i>Benzoxonium chloride/ Lidocaine hydrochloride</i> | A01AB11 | STADA Arzneimittel AG |
| Osadent | pillules - 7,5 g | <i>Хомеопатичен лекарствен продукт</i> | | Dr. A. & L. Schmidgall GmbH & Co KG |
| Osanit Colic Pillules | pillules | <i>Хомеопатичен лекарствен продукт</i> | | Dr. A. & L. Schmidgall GmbH & Co KG |
| Oscillococcinum | pillules in single-dose container x 6 x 30 | <i>Хомеопатичен лекарствен продукт</i> | | Boiron |

| | | | | |
|------------------------|------------------------------------------------------------|------------------------------------------|------------------|-------------------------------------|
| Osteobios | oral drops, solution - 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | GUNA S.p.a. |
| Osteocynesine | tablets x 60 | <i>Хомеопатичен лекарствен продукт</i> | | Boiron |
| Otipax | 4g/100g + 1g/100g ear drops, solution - 15 ml | <i>Lidocaine hydrochloride/Phenazone</i> | S02DA30 | Biocodex |
| Otirelax | 4g/100g + 1g/100g ear drops, solution - 15 ml | <i>Phenazone/Lidocaine hydrochloride</i> | S02DA30 | Фортекс Нутрасютикалс ООД |
| Otofix | 40 mg/g +10 mg/g ear drops, solution - 15 ml | <i>Phenazone/Lidocaine hydrochloride</i> | S02DA30 | Софарма АД |
| Otrivin | 0.1% nasal spray, solution - 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | GlaxoSmithKline Dungarvan Limited |
| Otrivin | 0.05% nasal drops, solution - 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | GlaxoSmithKline Dungarvan Limited |
| Otrivin Complex | 0,5 mg/ ml + 0,6 mg/ ml nasal spray, solution x 10 ml x 1 | <i>Xylometazoline hydrochloride</i> | R01AA | GlaxoSmithKline Dungarvan Limited |
| Otrivin Menthol | 0,1% nasal spray, solution - 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | GlaxoSmithKline Dungarvan Limited |
| Otrivin Plus | 1 mg/ml + 50 mg/ml nasal spray, solution | <i>Dexpanthenol/Xylometazoline</i> | D03AX03, R01AB06 | GlaxoSmithKline Dungarvan Limited |
| Panactiv | 100 mg/5 ml oral suspension x 100 ml; x 120 ml | <i>Ibuprofen</i> | M01AE01 | Pharmaceutical Works Polpharma S.A. |
| Panactiv baby | 60 mg suppositories x 5; x 10 | <i>Ibuprofen</i> | M01AE01 | Pharmaceutical Works POLPHARMA S.A. |
| Panactiv baby | 125 mg suppositories x 5; x 10 | <i>Ibuprofen</i> | M01AE01 | Pharmaceutical Works POLPHARMA S.A. |
| Panactiv Forte | 200 mg/ 5 ml oral suspension - 40 ml; 100 ml | <i>Ibuprofen</i> | M01AE01 | MEDANA PHARMA SA |
| Panadol Baby | oral suspension 120 mg/5ml – 60 ml; 100 ml; 200 ml; 300 ml | <i>Paracetamol</i> | N02BE01 | GlaxoSmithKline Dungarvan Limited |
| Panadol Baby Advance | oral.suspension 120 mg/5ml – 100 ml; 200 ml; 300 ml | <i>Paracetamol</i> | N02BE01 | GlaxoSmithKline Dungarvan Limited |
| Panadol Extra | 500 mg/65 mg tabl. film x 12; x 24; x 48 | <i>Paracetamol/Coffeine</i> | N02BE51 | GlaxoSmithKline Dungarvan Limited |
| Panadol Extra Optizorb | 500 mg/65 mg film-coated tablets x 12; x 14 | <i>Paracetamol/Coffeine</i> | N02BE51 | GlaxoSmithKline Dungarvan Limited |
| Panadol Optizorb | 500 mg film - coated tablets x 12; x 16; x 24; x 30; x 32 | <i>Paracetamol</i> | N02BE 1 | GlaxoSmithKline Dungarvan Limited |

| | | | | |
|----------------------------------|---------------------------------------------------------------------------------------------|------------------------------------------------|---------|--------------------------------------------|
| Panangin | 158 mg /140 mg film -coated tablets x 50 | <i>Magnesium aspartate/Potassium aspartate</i> | A12CC30 | Gedeon Richter Plc. |
| Panrazol Control | 20 mg gastro-resistant tablets x7; x 10; x 14 | <i>Pantoprazole</i> | A02BC02 | Actavis Group PTC ehf. |
| Panthenol Medical spray | 4,63g/100g cutaneous foam -130 g | <i>Dexpanthenol</i> | D03AX03 | Dr. Gerhard Mann Chem.-Phar. Fabrik GmbH |
| Paracedol Kids | 120 mg/5 ml oral suspension x 120 ml | <i>Paracetamol</i> | N02BE01 | Софарма АД |
| ParaCeta | 500 mg tablets x 10 | <i>Paracetamol</i> | N02BE01 | Чайкафарма Висококачествените лекарства АД |
| ParacetaMax | 250 mg film - coated tablets x 10; x 20; x 30; x 50 | <i>Paracetamol</i> | N02BE01 | Actavis Group PTC ehf. |
| ParacetaMax | 1000 mg granules in sachets x 10; x 20 | <i>Paracetamol</i> | N02BE01 | Actavis Group PTC ehf. |
| ParacetaMax | 500 mg granules in sachets x 10; x 20 | <i>Paracetamol</i> | N02BE01 | Actavis Group PTC ehf. |
| ParacetaMax | 500 mg tablets x 10; x 20 | <i>Paracetamol</i> | N02BE01 | Активис ЕАД |
| ParacetaMax Kids | 24 mg/ml oral solution x 60 ml; x 100 ml; x 120 ml; x 150 ml; x 200 ml; x 300 ml; x 1000 ml | <i>Paracetamol</i> | N02BE01 | Actavis Group PTC ehf. |
| Paracetamol - Pharma | 500 mg tablets x 10; x 20 | <i>Paracetamol</i> | N02BE01 | Фарма АД |
| Paracetamol Accord | 500 mg tablets 8; x 10; x 12; x 16; x 20; x 24; x 30; x 32; x 50; x 56; x 60; x 100; x 300 | <i>Paracetamol</i> | N02BE01 | Accord Healthcare Polska Sp. z.o.o. |
| Paracetamol Adipharm | 500 mg tablets x 10; x 20 | <i>Paracetamol</i> | N02BE01 | Адифарм ЕАД |
| Paracetamol Ecopharm | 500 mg tablets x 20 | <i>Paracetamol</i> | N02BE01 | Екофарм Груп АД |
| Paracetamol Extra | 500 mg/65 mg powder for oral solution x 6; x 20 | <i>Paracetamol/Caffeine</i> | N02BE01 | Химакс Фарма ЕООД |
| Paracetamol Inbiotech | 500 mg tablets x 10; x 20 | <i>Paracetamol</i> | N02BE01 | ИНБИОТЕХ ООД |
| Paracetamol Sopharma | 120 mg/5 ml syrup 125ml | <i>Paracetamol</i> | N02BE01 | Софарма АД |
| Paracetamol Sopharma | 500 mg tablets x 20; x 400 | <i>Paracetamol</i> | N02BE01 | Софарма АД |
| Paracetamol/Phenylephrine Sandoz | 500 mg/12,2 mg powder for oral solution x 6; x 10; x 20 | <i>Paracetamol/Phenylephrine</i> | N02BE51 | Sandoz d.d. |
| Paracetamol/Phenylephrine Sandoz | 1000 mg/12,2 mg powder for oral solution x 10 | <i>Paracetamol/Phenylephrine</i> | N02BE51 | Sandoz d.d. |

| | | | | |
|-----------------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------------------------|---------|-------------------------------------|
| Parasofdal без лекарско предписание за възрастни и деца над 14 години | 300mg/200mg/30mg/20mg tablets x 10 x 20 | <i>Caffeine/Codeine phosphate/Metamizole sodium Paracetamol</i> | N02BB72 | Софарма АД |
| Paraffin light liquid VT | oral liquid - 40 g; 80 g | <i>Paraffin, liquid</i> | A06AA01 | ВЕТА ФАРМА |
| Paraffinum Perliquidum Кунро | oral liquid - 40 ml; -1000 ml | <i>Paraffinum Perliquidum</i> | A06AA01 | Купро 94" ООД" |
| Paragrippe | tablets x 60 | <i>Хомеопатичен лекарствен продукт</i> | | Voiron |
| Pentoxiverin Sanofi | 2,13 mg/ml oral solution - 100 ml x 1 | <i>Pentoxiverine</i> | R05DB05 | САНОФИ БЪЛГАРИЯ ЕООД |
| Permixon | 160 mg capsules hard x 60 | <i>Serenoa repens</i> | G04CX02 | Pierre Fabre Medicament |
| Persen | 35 mg/17,5 mg/17,5 mg coated tablets x 40 | <i>Valerianae radix</i> | N05CX09 | Алвоген Фарма |
| Persen Forte | 87,5 mg/17,5 mg/17,5 mg capsules, hard x 20 | <i>Valerianae radix, Melissa folium, Menthae piperitae folium</i> | N05CX09 | Алвоген Фарма |
| Persen Night | coated tablets - x 15; x 30; x 45; x 60 | <i>Radix valerianae</i> | N05CM09 | Sandoz d.d. |
| Pharmatex | 18,9 mg vaginal capsules, soft x 6 | <i>Benzalkonium chloride</i> | G02BB00 | Laboratoire Innotech International |
| Pharmatex | 1,2 % vaginal cream 72 g + applicator | <i>Benzalkonium chloride</i> | G02BB00 | Laboratoire Innotech International |
| Pharmatex | 18,9 mg pessary x 10 | <i>Benzalkonium chloride</i> | G02BB00 | Laboratoire Innotech International |
| Pharmatex | 20 mg vaginal tablets x 12 | <i>Benzalkonium chloride</i> | G02BB00 | Laboratoire Innotech International |
| Phlebodia | 600 mg film-coated tablets x 15; x 30 | <i>Granulated Diosmin</i> | C05CA03 | Laboratoires Innotech International |
| Phosphor-Номaccord | oral drops, solution - 30ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Picoprep | 10 mg /3,5 g / 12g powder for oral solution x 2; x 100; x 300; | <i>Sodium picosulfate/ Citric acid anhydrous/ Magnesium oxide Light</i> | A06AB58 | Ferring GmbH |
| Pikopil | 5 mg tablets x 10; x 30 | <i>Sodium picosulphate</i> | A06AB08 | Фармак - България ООД |
| Pikopil | 7,5 mg tablets x 10; x 30 | <i>Sodium picosulphate</i> | A06AB08 | Фармак - България ООД |
| Pikopil | 7,5 mg/ml oral drops, solution x 15 ml; x 30 ml | <i>Sodium picosulphate</i> | A06AB08 | Фармак - България ООД |
| Piroxicam Escopharm | 10 mg/g cream - 100 g | <i>Piroxicam</i> | M02AA07 | ЕКОФАРМ ГРУП АД |

| | | | | |
|--------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------|--------------------------------------|
| Plenvu | powder for oral solution - x 1; x 40; x 80; x 160; x 320 treatments | <i>Sodium chloride/ Potassium chloride/ Ascorbic acid/Sodium sulphate, anhydrous/Sodium ascorbate/Macrogol</i> | A06AD065 | Norgine B.V. |
| Polinail | 80 mg/g medicated nail lacquer 3,3 ml; - 6,6 ml | <i>Ciclopirox</i> | D01AE14 | Polighem S.A. |
| Postinor-Duo | 750 micrograms tablets x 2 | <i>Levonorgestrel</i> | G03AC03 | Gedeon Richter Plc. |
| Potassium iodide G.L. Pharma | 65 mg tablets x 2; x 6; x 10; x 20 | <i>Potassium iodide</i> | V03AB21 | G.L. Pharma GmbH |
| Potassium iodide Unimed Pharma | 2% eye drops, solution – 10 ml | <i>Potassium iodide</i> | S01XA04 | Unimed Pharma |
| Prazolid | 20 mg gastro-resistant tablets x 7; x 14 | <i>Pantoprazole</i> | A02BC02 | ЕКОФАРМ ГРУП АД |
| Prefemin | 40 mg film-coated tablets x 30; x 90 | <i>Agni casti, fructus extractum siccum</i> | G02CX | Ewopharma International s.r.o. |
| Proalgin | 500 mg tablets x 10; x 20 | <i>Metamizole sodium</i> | N02BB02 | Тева Фарма ЕАД |
| Probitor | 20 mg gastro-resistant capsules, hard blister x 7; x 14; container x 7; x 10; x 14 | <i>Omeprazole</i> | A02BC01 | Sandoz d.d. |
| Procto-glyvenol | 400 mg/40 mg suppositories x 10 | <i>Lidocaine/Tribenoside</i> | C05AD01 | GlaxoSmithKline Dungarvan Limited |
| Procto-glyvenol | 2,12%/5% rectal cream - 30g | <i>Lidocaine/Tribenoside</i> | C05AD01 | GlaxoSmithKline Dungarvan Limited |
| Profebun | 100 mg oral suspension in sachet - 5 ml x 12; 5 ml x 20 | <i>Ibuprofen</i> | M01AE01 | NUTRA ESSENTIAL OTC S.L |
| Profebun | 200 mg oral suspension in sachet - 10 ml x 10; 10 ml x 12; 10 ml x 20 | <i>Ibuprofen</i> | M01AE01 | NUTRA ESSENTIAL OTC S.L |
| Profebun | 400 mg oral suspension in sachet - 10 ml x 10; 10 ml x 12; 10 ml x 30 | <i>Ibuprofen</i> | M01AE01 | NUTRA ESSENTIAL OTC S.L |
| Profebun | 20 mg/ml oral suspension x 100 ml; x 150 ml; x 200 ml | <i>Ibuprofen</i> | M01AE01 | NUTRA ESSENTIAL OTC S.L |
| Prospan | 20 mg/ml oral drops, solution 20 ml | <i>Hedera helix extract</i> | R05FB00 | Engelhard Arzneimittel GmbH & Co. KG |
| Prospan | 26 mg lozenges x 10; x 20 | <i>Hedera helix extract</i> | R05CA | Engelhard Arzneimittel GmbH & Co. KG |
| Prospan | 65 mg eff. tablets x 10; x 20 | <i>Hedera helix extract</i> | R05FB00 | Engelhard Arzneimittel GmbH & Co. KG |
| Prospan | 7 mg/ml syrup – 5 ml; 100 ml; 200 ml | <i>Hedera helix extract</i> | R05FB00 | Engelhard Arzneimittel GmbH & Co. KG |

| | | | | |
|------------------------|--------------------------------------------------------|----------------------------------------------------------------------------|---------|--------------------------------------|
| Prospan liquid | 7 mg/ml oral liquid - 5 ml x 21 | <i>Hedera helix extract</i> | R05FB00 | Engelhard Arzneimittel GmbH & Co. KG |
| Prostamed Tab | chewable tablets x 60; x 120; x 200; x 360 | <i>Растетелен лекарствен продукт</i> | G04B | Dr. Gustav Klein GmbH&Co.KG |
| Prostamol Uno | 320 mg capsules soft x 15; x 30; x 60 | <i>Растетелен лекарствен продукт</i> | G04CX02 | Berlin-Chemie AG (Menarini Group) |
| Prostaplant | 320 mg capsules x 30 | <i>Растетелен лекарствен продукт</i> | G04CX02 | Dr. Willmar Schwabe GmbH & Co. KG |
| Psilo - Balsam | gel 1% - 20 g; 50 g | <i>Diphenhydramine</i> | D04AA32 | Stada Arzneimittel AG |
| Pulcet | 20 mg gastro-resistant tablets x 14 | <i>Pantoprazole</i> | A02BC02 | Нобел Фарма ООД, България |
| Quietude | syrup – 200 ml | <i>Хомеопатичен лекарствен продукт</i> | | Boiron |
| Racecadotril Sanofi | 100 mg hard capsules x 10; x 20 | <i>Racecadotril</i> | A07XA04 | САНОФИ БЪЛГАРИЯ ЕООД |
| Ramonna | 1500 micrograms tablet x 1 | <i>Levonorgestrel</i> | G03AD01 | Gedeon Richter Plc. |
| Reactin | 10 mg capsules, soft x 7 | <i>Cetirizine dihydrochloride</i> | R06AE07 | McNeil Healthcare Ltd. |
| ReDormin | 250 mg/60 mg film-coated tablets x 20; x 60 | <i>Valerianae radix extractum siccum/ Lupuli strobuli extractum siccum</i> | N05CM | Ewopharma International |
| Regaine | 2% cutaneous solution - 60 ml x 1 | <i>Minoxidil</i> | D11AX01 | McNeil Products Limited |
| Regaine Foam for Women | 50 mg/g cutaneous foam -1 x 60 g ; 2 x 60 g | <i>Minoxidil</i> | D11AX01 | McNeil Products Limited |
| Remifemin | 20 mg tablets x 60; x 100; x 200 | <i>Cimicifuga extract</i> | G02C00 | Schaper & Brummer GmbH & Co.KG |
| Remotiv | 250 mg film-coated tablets x 30; x 60; x 120 | <i>Hyperici herba extractum siccum</i> | N06AX00 | Ewopharma International s.r.o. |
| Reparil | 20 mg gastro-resistant tablets x 20; x 40; x 50; x 100 | <i>Aescin</i> | C05CA | Майлан ЕООД |
| Reparil - Gel N | gel - 40 g; - 100 g | <i>Aescin/Diethylamine salicylate</i> | M02AC00 | Майлан ЕООД |
| Respifortin | 600 mg effervescent tablets x 10 | <i>Acetylcysteine</i> | R05CB01 | NATUR PRODUKT ZDROVIT sp. z.o.o. |
| Respivax Adults | 50 mg tablets x 30 | <i>Immunostimulating agents</i> | L03AX00 | Бул Био – НЦЗПБ ЕООД |
| Respivax Children | 25 mg tablets x 30 | <i>Immunostimulating agents</i> | L03AX00 | Бул Био – НЦЗПБ ЕООД |

| | | | | |
|----------------------------------------------------------------|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------------------------------|
| Revalid | capsules x 30; x 90 | <i>DL-Methionine/L-cysteine/Calcium pantothenate/Tiamine hydrochlorid/Pyridoxine hydrochloride/Paraaminobenzoic acid/ Iron/ Zinc/Copper/Millet extract/Wheat germ extract/ Barm yeast</i> | A11JC00 | Ewopharma International s.r.o. |
| Rhinallergy | tablets x 60 | <i>Хомеопатичен лекарствен продукт</i> | | Boiron |
| Rhinital | tablets x 100 | <i>Хомеопатичен лекарствен продукт</i> | | Alpen Pharma GmbH |
| Rhinolex | 30 mg/g +50 mg/g nasal ointment - 18 g | <i>Ephedrine hydrochloride/Sulfathiazole</i> | R01AB00 | Софарма АД |
| RHINOSTOP | 0,05 % nasal spray, solution – 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | Софарма АД |
| RHINOSTOP | 0,1 % nasal spray, solution – 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | Софарма АД |
| RHINOSTOP | nasal drops, solution – 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | Софарма АД |
| Ricini oleum Kupro | oral liquid - 40 ml; 1000 ml | <i>Castor oil</i> | A06AB05 | Купро 94 ЕООД |
| Ricini oleum VT | oral liquid 40g | <i>Castor oil</i> | A06AB05 | ВЕТА ФАРМА АД |
| Rivanol Chemax Pharma | 0,1% cutaneous solution - 100 ml; 1000 ml | <i>Ethacridine lactate</i> | D08AA01 | Химакс Фарма ЕООД |
| Rivanol Galen-Pharma | 1% ointment - 15g | <i>Ethacridine lactate</i> | D08AA01 | Гален Фарма ООД |
| Rivanol Galen-Pharma | 0,1% cutaneous solution -100 ml; 1000 ml | <i>Ethacridine lactate</i> | D08AA01 | Гален Фарма ООД |
| Rivanol VT | 0,1% cutaneous solution -100 ml; 1000 ml | <i>Ethacridine lactate</i> | D08AA01 | ВЕТА ФАРМА АД |
| Roletra без лекарско предписание при възрастни и деца над 7 г. | 10 mg tablets x 10 ; x 30 | <i>Loratadine</i> | R06AX13 | Екофарм Груп АД |
| Rosacta Cream | cream - 100 mg/g x 50 g; x 90 g | <i>Растителен лекарствен продукт</i> | M02AX | Medis, d.o.o. |
| Rosalgin | 500 mg granules for vaginal solution x 5; x 10 | <i>Benzydamine</i> | G02C03 | Анджелини Фарма България ЕООД |

| | | | | |
|-------------------------|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------------------|----------------------------------|
| Rosalgin Easy | 0,1g/100 ml vaginal solution – 140 ml x 5 | <i>Benzydamine</i> | G02C03 | Анджелини Фарма България ЕООД |
| Rumixafen | 500 micrograms film-coated tablets x 10; x 14; x 28; x 30; x 84; x 90; x 98 | <i>Roflumilast</i> | R03DX07 | Sandoz d.d. |
| Rupalyn | 200 mg film-coated tablets x 2; x 4; x 6; x 8; x 10; x 12; x 15; x 16; x 20; x 24; x 30 | <i>Ibuprofen</i> | M01AE 1 | Medochemie Ltd. |
| Rupalyn | 400 mg film-coated tablets x 2; x 4; x 6; x 8; x 10; x 12; x 15 | <i>Ibuprofen</i> | M01AE 1 | Medochemie Ltd. |
| Ruvexin | 325 mg film-coated tablets x 100 | <i>Acetylsalicylic acid</i> | B01AC06 /N02BA01 | ОТС ФАРМА АД |
| Sab simplex | 69,19 mg/ml oral suspension - 30 ml | <i>Silicones</i> | A03AX 13 | Pfizer Europe MA EEIG |
| Sargenor | 1 g/5 ml oral solution x 20; x 40 | <i>Arginine aspartate</i> | A16AA00 | Майлан ЕООД |
| Sargenor | 1 g effervescent tablets x 20; x 40 | <i>Arginine aspartate</i> | A16AA00 | Майлан ЕООД |
| Saridon | 250 mg/50 mg/150 mg tablets x 10 | <i>Paracetamol/Caffeine/Propyphenazone</i> | N02BE51 | Байер България ЕООД |
| Sariphezon | 250 mg/150 mg/50 mg tablets x 20 | <i>Paracetamol/Propyphenazone/Caffeine</i> | N02BE51 | Софарма АД |
| Secondelle | 1500 micrograms tablets x 2 | <i>Levonorgestrel</i> | G03AD01 | Heaton k.s. |
| Sedacur forte | 75 mg /23 mg /45 mg coated tablets x 50; x 100 | <i>Valerianae radix dry extract Hopstobibile dry extract Melissae leaves dry extract</i> | N05CX | Schaper & Brummer GmbH & Co.KG |
| Sedatif PC | tablets x 40 | <i>Хомеопатичен лекарствен продукт</i> | | Voiron |
| Septadin | 0.1% oromucosal solution - 115 ml | <i>Chlorhexidine</i> | A01AB03 | Активис ЕАД |
| Septanazal for adults | 1 mg/50 mg nasal spray, solution - 10 ml | <i>Dexpanthenol/Xylometazoline</i> | R01AB0 | KRKA, d.d. Novo mesto |
| Septanazal for children | 0,5 mg/50 mg nasal spray, solution - 10 ml | <i>Dexpanthenol/Xylometazoline</i> | R01AB0 | KRKA, d.d. Novo mesto |
| Septazulen plus Orange | 2 mg/0,6 mg/1,2 mg lozenges - x 24 | <i>Various</i> | R02AA 3 | Pharma Net Solutions S.R.L. |
| Septazulen plus Orange | 2 mg/0,6 mg/1,2 mg lozenges - x 24 | <i>Lidocaine hydrochloride/Amylmetacresol/2,4-Dichlorobenzyl alcohol</i> | R02AX03 | Pharma Net Solutions S.R.L. |
| Septofort | 2 mg compressed lozenges x 12; x 24 | <i>Chlorhexidine</i> | R02AA05 | Walmark a.s. |

| | | | | |
|------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------|----------|--------------------------------------------------------|
| Septofort Strong | 5 mg/ 5mg compressed lozenges x 12; x 24 | <i>Chlorhexidine/Benzocaine</i> | R02AA0 | Walmark a.s. |
| Septotele Total | 1,5 mg/ml + 5,0 mg/ml oromucosal spray, solution x 30 ml | <i>Benzocaine/Cetylpyridinium chloride</i> | R02AA06 | KRKA, d.d. Novo Mesto |
| Septotele Total eucalyptus | 3 mg/1 mg lozenges x 8; x 16; x 24; x 32; x 40 | <i>Benzocaine/Cetylpyridinium chloride</i> | R02AA06 | KRKA, d.d. Novo Mesto |
| Septotele total lemon and elder flower | 3 mg/1 mg lozenges | <i>Cetylpyridinium chloride/Benzidamide hydrochloride</i> | R02AA20 | KRKA, d.d., Novo mesto |
| Septotele Total lemon and honey | 3 mg/1 mg lozenges | <i>Cetylpyridinium chloride/Benzidamide hydrochloride</i> | R02AA20 | KRKA, d.d., Novo mesto |
| ShollMed Fungal Nail Complete Treatment Kit 5% | Medicated Nail Lacquer - 2,5 ml x 1; 3 ml x 1 | <i>Amorolfine</i> | D01AE16 | Reckitt Benckiser Healthcare International Limited |
| Silicea D10, D30, D1000 | pillules - 10 g | <i>Хомеопатичен лекарствен продукт</i> | | Deutsche HomoopathieUnion, DHU Arzneimittel GmbH&Co.KG |
| Similasan Dry Eye | eye drops 1 x 10 ml | <i>Хомеопатичен лекарствен продукт</i> | V03AX | ММ Фарма Сървис ЕООД |
| Similasan Itchy Eye | eye drops 1 x 10 ml | <i>Хомеопатичен лекарствен продукт</i> | V03AX | ММ Фарма Сървис ЕООД |
| Similasan Pink Eye | eye drops 1 x 10 ml | <i>Хомеопатичен лекарствен продукт</i> | V03AX | ММ Фарма Сървис ЕООД |
| Similasan Strained Eye | eye drops 1 x 10 ml | <i>Хомеопатичен лекарствен продукт</i> | V03AX | ММ Фарма Сървис ЕООД |
| Sinecod | 0,5% oral drops, solution- 20 ml | <i>Butamirate</i> | R05DB13 | GlaxoSmithKline Dungarvan |
| Sinecod | 0,15% syrup – 200 ml | <i>Butamirate</i> | R05DB13 | GlaxoSmithKline Dungarvan |
| Sinecod | 50 mg prolonged–release tablets x 10 | <i>Butamirate</i> | R05DB13 | GlaxoSmithKline Dungarvan Limited |
| Sintuss | 0,5% oral drops, solution - 20 ml | <i>Butamirate</i> | R05DB 13 | ДАНСОН-БГ ООД |
| Sintuss | 0,15% syrup - 200 ml | <i>Butamirate</i> | R05DB13 | ДАНСОН-БГ ООД |
| Sinupret | syrup x 50 ml, x 100 ml, x 200 ml, x 500 ml | <i>Растителен лекарствен продукт</i> | R05CA10 | Bionorica SA |

| | | | | |
|---------------------------------------|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|---------|-----------------------------|
| Sinupret | coated tablets x 50; x 100; x 200; x 500 | <i>Rumicis herbae pulvis/ Sambuci flos pulvis/ Gentianae radix pulvis/ Primulae flos pulvis/ Verbenae herbae pulvis</i> | R05CA10 | Bionorica SE |
| Sinupret extract | syrup x 50 ml; x 100 ml; x 200 ml; x 500 ml | <i>Ethanollic mixed extract</i> | R05X0 | Bionorica SA |
| Sinupret extract | coated tablets x 20; x 40 | <i>Ethanollic mixed extract</i> | R05X0 | Bionorica SA |
| Sinupret forte | coated tablets x 20; x 50; x 100; x 500 | <i>Rumicis herbae pulvis/ Sambuci flos pulvis/Gentianae radice pulvis/ Primulae flos pulvis/ Verbenae herbae pulvis</i> | R05CA10 | Bionorica SE |
| Skinoren | 20% cream - 30g | <i>Azelaic acid</i> | D10AX03 | Bayer Pharma AG |
| Smecta | 3 g powder for oral suspension x 10; x 30; x 60 | <i>Diosmectite</i> | A07XA00 | IPSEN Pharma |
| Snip Cold & Flu | 325 mg/15 mg/1 mg tablets x 10; x 20; x 30 | <i>Chlorphenamine maleate/Paracetamol/Pseudoephedrine HCl</i> | | Medochemie Ltd. |
| Solcoseryl | paste oromucosal paste.- 5 g | <i>Protein-free haemodialysate of calf blood</i> | A01AD11 | Майлан ЕООД |
| Solcoseryl | 2,07 mg/g ointment x 20 | <i>Protein-free haemodialysate of calf blood</i> | D03AX | Майлан ЕООД |
| Solcoseryl | gel 10 % - 20 g | <i>Protein-free haemodialysate of calf blood</i> | D03AX | Майлан ЕООД |
| Solidagoren | 7,9 ml/10 ml oral drops, solution x 20; x 50; 100 ml | <i>Extractum fluidum compositum</i> | G04B | Dr. Gustav Klein GmbH&Co.KG |
| Soligamma | 1000 IU tablets x 10; x 20; x 50; x 100; x 200 | <i>Colecalciferol</i> | A11CC05 | Worwag Pharma GmbH & Co. KG |
| Solpadeine | 500 mg /8 mg/30 mg soluble tablets x 12; x 24; x 48; x 96 | <i>Paracetamol/Codeine/Caffeine</i> | N02BE51 | Adriatic BST d.o.o. |
| Solpadeine | 500 mg/8 mg/ 30 mg capsule, hard x 12; x 24; x 48; x 96 | <i>Paracetamol/Codeine/Caffeine</i> | N02BE51 | Adriatic BST d.o.o. |
| Solutio Iodi spirituosa Chemax Pharma | 5% cutaneous solution - 20 ml; 1000 ml | <i>Iodine</i> | D08AG03 | Химакс Фарма ЕООД |
| Solutio Iodi spirituosa GalenPharma | 5% cutaneous solution -20 ml; 1000 ml | <i>Iodine</i> | D08AG03 | Гален Фарма ООД |
| Solutio iodi spirituosa VT | 5% cutaneous solution -50 ml; 1000 ml | <i>Iodine</i> | D08AG03 | "ВЕТА ФАРМА" АД |

| | | | | |
|--------------------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------|---------|--------------------------------------------|
| Solutio Pyoctanini GalenPharma | 1% cutaneous solution – 50 ml | <i>Methylrosaniline hydrochloride</i> | D01AE02 | Гален Фарма ООД |
| Solutio Pyoctanini GalenPharma | 2% cutaneous solution – 50 ml | <i>Methylrosaniline hydrochloride</i> | D01AE02 | Гален Фарма ООД |
| Solutio Rivanoli Kupro | 0,1% cutaneous solution 100 ml; 1000 ml | <i>Ethacridine lactate</i> | D08AA01 | Купро 94 ООД |
| Solutio Rivanoli SZ | 0,1% cutaneous solution 100 ml; 1000 ml | <i>Ethacridine lactate</i> | D08AA01 | Сайра Загоре ООД |
| Solutio Rivanoli-Flo | 0.1% cutaneous solution 100 ml; 1000 ml | <i>Ethacridine lactate</i> | D08AA01 | Флора - 02 ООД |
| Solution Iodi Spirituosa Kupro | 5% cutaneous solution – 30 ml; 50 ml; 1000 ml | <i>Iodine</i> | D08AG03 | Купро 94 ООД |
| Solvolan | 30 mg tablets x 20 | <i>Ambroxol</i> | R05CB06 | KRKA, d.d. Novo Mesto |
| Solvolan по лекарско предписание при деца под 2 години | 15 mg/5 ml syrup – 100 ml | <i>Ambroxol</i> | R05CB06 | KRKA d.d. Novo Mesto |
| Sophaflu | 500 mg/ 25 mg/ 200 mg granules for oral solution x 8 | <i>Ascorbic acid/ Pheniramine maleate /Paracetamol</i> | N02BE51 | Софарма АД |
| Sotapiryn | 300 mg/250 mg/2 mg effervescent tablets x 20 | <i>Paracetamol/Ascorbic acid/Chlorphenamine maleate</i> | R05X | Чайкафарма Висококачествените лекарства АД |
| Spascupreel | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Spasmalgon | tablets x 10; x 20 | <i>Metamizole sodium/Pitofenon hydrochloride/ Fenpiverinium bromide</i> | A03DA02 | Тева Фарма ЕАД |
| Spasmobloc | 500 mg/5 mg/0,1 mg tablets x 20 | <i>Metamizole sodium /Pitofenone hydrochloride/ Fenpiverinium bromide</i> | A03DA02 | Адифарм ЕАД |
| Spasmobloc D | 500 mg/ml + 5 mg/ml oral drops, solution x 20 ml | <i>Pitofenone hydrochloride/Metamizol sodium monohydrate</i> | A03DA02 | Адифарм ЕАД |
| Spersallerg | 0,5mg/ 0,4mg/ml eye drops, solution – 10 ml | <i>Antazoline hydrochloride/Tetryzoline hydrochloride</i> | S01GA52 | LABORATOIRES THEA |
| Spiritus Aethylicus Chemax Pharma | 70% v/v cutaneous solution -100 ml; 0,8 kg | <i>Ethanol</i> | D08AX08 | Химакс Фарма ЕООД |
| Spiritus Aethylicus Chemax Pharma | 90% v/v cutaneous solution -100 ml; 0,8 kg | <i>Ethanol</i> | D08AX08 | Химакс Фарма ЕООД |

| | | | | |
|-----------------------------------|-----------------------------------------------------------|----------------|---------|---------------------------|
| Spiritus Aethylicus Chemax Pharma | 95% v/v cutaneous solution - 100 ml; 0,8 kg | <i>Ethanol</i> | D08AX08 | Химакс Фарма ЕООД |
| Spiritus Aethylicus DVN | 70% v/v cutaneous solution -100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | ЕТ ДВН - Галина Йорданова |
| Spiritus Aethylicus DVN | 90% v/v cutaneous solution -100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | ЕТ ДВН - Галина Йорданова |
| Spiritus Aethylicus DVN | 95% v/v cutaneous solution -100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | ЕТ ДВН - Галина Йорданова |
| Spiritus Aethylicus Flo | 95%v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Флора-02 ЕООД |
| Spiritus Aethylicus Flo | 90%v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Флора-02 ЕООД |
| Spiritus Aethylicus Flo | 70% v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Флора-02 ЕООД |
| Spiritus aethylicus GalenPharma | 70% v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Гален Фарма ООД |
| Spiritus aethylicus GalenPharma | 90% v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Гален Фарма ООД |
| Spiritus aethylicus GalenPharma | 95% v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Гален Фарма ООД |
| Spiritus aethylicus Kupro | 70% v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Купро 94 ООД |
| Spiritus aethylicus Kupro | 90% v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Купро 94 ООД |
| Spiritus aethylicus Kupro | 95% v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Купро 94 ООД |
| Spiritus Aethylicus SZ | 70% v/v cutaneous solution -100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Сайра Загоре ООД |
| Spiritus Aethylicus SZ | 90% v/v cutaneous solution -100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Сайра Загоре ООД |
| Spiritus Aethylicus SZ | 95% v/v cutaneous solution -100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | Сайра Загоре ООД |
| Spiritus Aethylicus Toni-M | 70 per cent vol./vol. cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | ТОНИ -М ООД |

| | | | | |
|---------------------------------------|-----------------------------------------------------------|-----------------------|---------|-------------------|
| Spiritus Aethylicus Toni-M | 90 per cent vol./vol. cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | ТОНИ -М ООД |
| Spiritus Aethylicus Toni-M | 95 per cent vol./vol. cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | ТОНИ -М ООД |
| Spiritus Aethylicus VT | 70% v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | ВЕТА ФАРМА АД |
| Spiritus Aethylicus VT | 90% v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | ВЕТА ФАРМА АД |
| Spiritus Aethylicus VT | 95% v/v cutaneous solution –100 ml; 1000 ml | <i>Ethanol</i> | D08AX08 | ВЕТА ФАРМА АД |
| Spiritus Camphorae Chemax Pharma | 10g/100g cutaneous solution – 100 ml; 0,8 kg | <i>Camphora</i> | M02AX10 | Химакс Фарма ЕООД |
| Spiritus Camphoratus GalenPharma | 10% cutaneous solution –100 ml; 1000 ml | <i>Camphora</i> | M02AX10 | Гален Фарма ООД |
| Spiritus Camphoratus Kupro | 10% cutaneous solution – 100 ml | <i>Camphora</i> | M02AX10 | Купро 94 ООД |
| Spiritus Lavandulae | 1% cutaneous solution – 100 ml; 1000 ml | <i>Lavender oil</i> | D | Тони – М ООД |
| Spiritus Lavandulae Chemax Pharma | 1 g/100 ml cutaneous solution –100 ml; 0,8 kg | <i>Lavender oil</i> | D | Химакс Фарма ЕООД |
| Spiritus Lavandulae GalenPharma | 1% cutaneous solution – 100 ml; 1000 ml | <i>Lavender oil</i> | D | Гален Фарма ООД |
| Spiritus Lavandulae Kupro | 1% cutaneous solution – 100 ml; 1000 ml | <i>Lavender oil</i> | D | Купро 94 ООД |
| Spiritus Mentholi Chemax Pharma | 1% cutaneous solution – 100 ml | <i>Menthol</i> | D | Химакс Фарма ЕООД |
| Spiritus Mentholi GalenPharma | 1% sol. cut. – 100 ml | <i>Levomenthol</i> | D | Гален Фарма ООД |
| Spiritus Mentholi Kupro | 1% cutaneous solution – 100 ml | <i>Levomenthol</i> | D | Купро 94 ООД |
| Spiritus Mentholi Toni-M | 1% cutaneous solution – 50 ml; 100 ml | <i>Levomenthol</i> | D | Тони - М ООД |
| Spiritus salicylicus Chemax Pharma | 1% cutaneous solution – 100 ml | <i>Salicylic acid</i> | D01AE12 | Химакс Фарма ЕООД |
| Spiritus salicylicus Chemax Pharma | 2% cutaneous solution – 100 ml | <i>Salicylic acid</i> | D01AE12 | Химакс Фарма ЕООД |
| Spiritus Salicylicus -Flo | 2% cutaneous solution - 100 ml | <i>Salicylic acid</i> | D01AE12 | Флора - 02 ООД |

| | | | | |
|-------------------------------------|-------------------------------------------------------------|--------------------------------------------------|----------|------------------------------------|
| Spiritus Salicylicus GalenPharma | 1% cutaneous solution - 100 ml | <i>Salicylic acid</i> | D01AE12 | Гален Фарма ООД |
| Spiritus Salicylicus GalenPharma | 2% cutaneous solution - 100 ml | <i>Salicylic acid</i> | D01AE12 | Фарма ООД |
| Spiritus salicylicus Kupro | 1% cutaneous solution – 50 ml; 100 ml | <i>Salicylic acid</i> | D01AE12 | Купро 94 ООД |
| Spiritus salicylicus Kupro | 2% cutaneous solution – 50 ml; 100 ml | <i>Salicylic acid</i> | D01AE12 | Купро 94 ООД |
| Spiritus Salicylicus Toni-M | 1% cutaneous solution - 50 ml; 100 ml | <i>Salicylic acid</i> | D01AE12 | Тони - М ООД |
| Spiritus Salicylicus-Flo | 1% cutaneous solution - 100 ml | <i>Salicylic acid</i> | D01AE12 | Флора - 02 ООД |
| Sprintafen | 25 mg film-coated tablets x 10, x 20 | <i>Ketoprofen</i> | M01AE03 | Dompe Farmaceutici S.p.A. |
| Sprintafen | 25 mg granules x 8; x 10; x 15; x 16; x 20 | <i>Ketoprofen</i> | M01AE03 | Dompe Farmaceutici S.p.A. |
| Sprintafen | 25 mg granules x 8; x 10; x 15; x 16; x 20 | <i>Ketoprofen</i> | M01AE03 | Dompe Farmaceutici S.p.A. |
| Sprintafen | 25 mg film-coated tablets x 10; x 20 | <i>Ketoprofen</i> | M01AE03 | Dompe Farmaceutici S.p.A. |
| Stodal | syrup – 200 ml | <i>Хомеопатичен лекарствен продукт</i> | | Boiron |
| Stodal Family | syrup – 200 ml | <i>Хомеопатичен лекарствен продукт</i> | | Boiron |
| Stodal Pocket | pillules | <i>Хомеопатичен лекарствен продукт</i> | R 0 | Boiron |
| Stoperan | 2 mg capsule, hard x 8 | <i>Loperamide</i> | A07DA03 | US Pharmacia Sp.z.o.o. |
| Stopex | 30 mg tablets x 30 | <i>Dextromethorphan</i> | R05DA09 | Walmark a.s. |
| Stopex Junior | 15 mg tablets x 30 | <i>Dextromethorphan</i> | R05DA09 | Walmark a.s. |
| Strepsils Cool | 1,2 mg/0,6 mg lozenge x 16, x 24 | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol</i> | R02AA 03 | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils for children | 1,2 mg/0,6 mg lozenges x 12; x 24; x 36 | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol</i> | R02AA 03 | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Honey and Lemon | 1,2 mg/0,6 mg lozenges x 12; x 24; x 36 | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol</i> | R02AA03 | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Intensive | 8,75 mg lozenges x 2; x 4; x 6; x 8; x 10; x 12; x 16; x 24 | <i>Flurbiprofen</i> | A01AD11 | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Intensive Mint Sugar Free | 8,75 mg lozenges x 2; x 4; x 6; x 8; x 10; x 12; x 16; x 24 | <i>Flurbiprofen</i> | A01AD11 | Reckitt Benckiser (Romania) S.R.L. |

| | | | | |
|------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------------------------------------------|---------|------------------------------------------------|
| Strepsils Intensive Orange and mint Sugar Free | 8,75 mg lozenges x 8; x 12; x 16; x 24 | <i>Flurbiprofen</i> | R02AX01 | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Intensive Spray | 8,75 mg/dose oromucosal spray, solution 1 x 15 ml | <i>Flurbiprofen</i> | R02AX01 | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Menthol and Eucalyptus | 1,2 mg/0,6 mg/8 mg lozenge x 24 | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol/Levomenthol</i> | R02AA03 | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Orange with Vitamin C | 1,2 mg/0,6 mg/100 mg lozenge x 24 | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol/ Ascorbic acid</i> | R02AA03 | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils Plus | 1,2 mg/0,6 mg/10 mg losenges x 16; x 24 | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol/ Lidocaine hydrochloride</i> | R02AA03 | Reckitt Benckiser (Romania) S.R.L. |
| Strepsils warm | 1,2 mg/0,6 mg compressed lozenges x 10; x 16; x 24; x 36 | <i>2,4-Dichlorobenzyl alcohol/Amylmetacresol</i> | R02AA03 | Reckitt Benckiser (Romania) S.R.L. |
| Supofen | 40 mg/ml oral suspension x 1 | <i>Paracetamol</i> | N02BE01 | Laboratorios Basi-Industria Farmaceutica, S.A. |
| Syafen | 5% gel - 40g | <i>Ibuprofen</i> | M02AA13 | Софарма -АД |
| Syafen | 100 mg/5 ml oral suspension 120 ml | <i>Ibuprofen</i> | M01AE01 | Софарма -АД |
| Sympathyl | 20 mg/75 mg/124,35 mg film -coated tablets x 40 | <i>Magnesium oxide/ Crataegi folii cum flore extractum siccum/ Eschscholtzia extractum siccum</i> | N05CX | Laboratoires Innotech International |
| Tabex | 1,5 mg film-coated tablets x 100 | <i>Cytisine</i> | N07BA | Софарма АД |
| Talcid | 500 mg chewable tablets x 20 | <i>Hydrotalcite</i> | A02AD04 | Байер България ЕООД |
| Talert | 10 mg film-coated tablets x 10; x 20 | <i>Cetirizine dihydrochloride</i> | R06AE07 | Софарма -АД |
| Talert | 10 mg/10ml syrup - 120 ml | <i>Cetirizine dihydrochloride</i> | R06AE07 | Софарма -АД |
| Talert | 1 mg/1ml syrup - 120 ml | <i>Cetirizine dihydrochloride</i> | R06AE08 | Софарма -АД |
| Tammex Akut | 2 mg hard capsules x 10; x 20 | <i>Loperamide</i> | A07DA 3 | Ipca Produtos Farmaceuticos Unipessoal Lda. |
| Tantum flu lemon taste | 600 mg/10 mg powder for oral solution in sachet x 10; x 16 | <i>Phenylephrine/Paraceramol</i> | N02BE51 | Анджелини Фарма България ЕООД |
| Tantum flu lemon-honey taste | 600 mg/10 mg powder for oral solution in sachet x 10; x 16 | <i>Phenylephrine/Paraceramol</i> | N02BE51 | Анджелини Фарма България ЕООД |

| | | | | |
|---------------------------------------|----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------|----------------------------------------------|
| Tantum flu orange taste | 600 mg/10 mg powder for oral solution in sachet x 10; x 16 | <i>Phenylephrine/Paraceramol</i> | N02BE51 | Анджелини Фарма България ЕООД |
| Tantum Verde | 0,15 % mouth wash – 120 ml; 240 ml | <i>Benzydamine</i> | A01AD02 | Анджелини Фарма България |
| Tantum Verde | 0,15% oromucosal spray, solution - 30 ml | <i>Benzydamine</i> | A01AD02 | Анджелини Фарма България |
| Tantum Verde forte | 0,3% oromucosal spray, solution - 15 ml | <i>Benzydamine</i> | A01AD02 | Анджелини Фарма България |
| Tantum Verde with mint flavor | 3 mg lozenges x 10; x 20; x 30; x 40 | <i>Benzydamine</i> | A01AD02 | Анджелини Фарма България ЕООД |
| Tantum Verde with eucalyptus flavor | 3 mg lozenges x 20; x 30; x 40 | <i>Benzydamine</i> | A01AD02 | Анджелини Фарма България ЕООД |
| Tantum Verde with lemon flavor | 3 mg lozenges 10; x 20; x 30; x 40 | <i>Benzydamine</i> | A01AD02 | Анджелини Фарма България ЕООД |
| Tantum Verde with orangehoney flavour | 3 mg lozenges x 20; x 30; x 40 | <i>Benzydamine</i> | A01AD02 | Анджелини Фарма България ЕООД |
| Tartephedreel | oral drops, solution – 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Tavipec | 150 mg gastro-resistant capsules, soft x 20; x 30 | <i>Растителен лекарствен продукт</i> | R05CA00 | Pharmaceutische Fabrik Montavit |
| Tavipec forte | 300 mg gastro-resistant capsules, soft x 20; x 60 | <i>Растителен лекарствен продукт</i> | R05CB00 | Pharmazeutische Fabrik Montavit Ges.m.b.H |
| Tears Naturale II | 1,0 mg/ 3,0 mg/ ml eye drops, solution - 5 ml; 10 ml; 15 ml | <i>Dextran/Нупромеллозе</i> | S01XA20 | Alcon Farmaceutika d.o.o |
| Tebokan | 80 mg film - coated tablets x 30; x 60; x 120 | <i>Растителен лекарствен продукт</i> | N06DX02 | Dr. Willmar Schwabe GmbH & Co. Kg. |
| Tebokan forte | 120 mg film-coated tablets x 15; x 30; 60 | <i>Растителен лекарствен продукт</i> | N06DX02 | Dr. Willmar Schwabe GmbH & Co. Kg. |
| Tebokan Max | 240 mg film-coated tablets x 15; x 20; x 30; x 40; x 60; x 80; x 90; x 100 | <i>Растителен лекарствен продукт</i> | N06DX02 | Dr. Willmar Schwabe GmbH & Co. Kg. |
| Tempalgin | 500 mg/20 mg film-coated tablets x 20; x 300 | <i>Metamizole sodium/ Triacetoneamine-4-toluensulfonate</i> | N02BB72 | Софарма АД |
| Ternafin | cream 1% - 15g | <i>Terbinafine</i> | D01AE15 | Софарма АД |
| Thera Flu Cold and Flu Extra Strength | 650 mg/10 mg/20 mg powder for oral solution x 10 | <i>Paracetamol/Pheniramine maleate/Phenylephrine hydrochloride/Pheniramine hydrogen maleate</i> | R05X | GlaxoSmithKline Dungarvan Limited |

| | | | | |
|------------------------------------------|------------------------------------------------------------------|--------------------------------------------------------------|---------|-----------------------------------------|
| Theraflu Forte Cold and Cough | 500 mg/6,1 mg/100 mg capsules, hard x 8; x 16 | <i>Paracetamol/Phenylephrine hydrochloride/ Guaiifenesin</i> | R05X | GlaxoSmithKline Dungarvan Limited |
| Theraflu Max Cold and Cough | 1000 mg/12,2 mg/200 mg powder for oral solution x 10 | <i>Paracetamol/Phenylephrine hydrochloride/ Guaiifenesin</i> | R05X | GlaxoSmithKline Dungarvan Limited |
| Thrombo ASS | 100 mg gastro-resistant tablets x 30 | <i>Acetylsalicylic acid</i> | B01AC06 | G.L. Pharma GmbH |
| Tinctura Castellani – Hefe | 0.8 g/100 g + 3.5 g/100 g + 8 g/100 g cutaneous solution – 50 ml | <i>Boric acid/Phenol/Resorcinol</i> | D08AX00 | Химакс Фарма ЕООД |
| Tinctura Crataegi Chemax Pharma | 200 mg/g oral drops, solution 15 g; 800 g | <i>Hawthorn leaf and flower</i> | C01EB04 | Химакс Фарма ЕООД |
| Tinctura menthae piperitae Chemax Pharma | 50 mg/50 mg/g oral drops, solution 15 g; 800 g | <i>Peppermint oil/Peppermint leaf</i> | A16AX00 | Химакс Фарма ЕООД |
| Tinctura Valerianae Chemax Pharma | 200 mg/ml oral drops, solution 15 g; 900 g | <i>Valerianae radix</i> | N05CM09 | Химакс Фарма ЕООД |
| Tinctura Valerianae Kupro | 200 mg/ml oral drops, solution 20 ml | <i>Valerianae radix</i> | N05CM09 | Купро 94 ООД |
| Tomapyrin C | effervescent tablet x 10; x 20 | <i>Acetylsalicylic acid/ Paracetamol/ Ascorbic acid</i> | N02BB51 | Boehringer Ingelheim International GmbH |
| Tonsilotren | tablets x 40; x 60 | <i>Хомеопатичен лекарствен продукт</i> | | Alpen Pharma GmbH |
| Tonsipret | 50 mg/75 mg/75 mg tablets x 50; x 100; x 200 | <i>Хомеопатичен лекарствен продукт</i> | | Bionorica AG |
| Trachihelp | 5 mg/1,5 mg compressed lozenges x 9; x 10; x 18; x 20; x 27 | <i>Chlorhexidine/Benzocaine</i> | R02AA05 | АДИФАРМ ЕАД |
| Trachisan | 0,5 mg/1,0 mg/1,0 mg lozenges x 20 | <i>Tyrothricin/ Lidocaine hydrochloride/ Chlorhexidine</i> | R02A | Engelhard Arzneimittel GmbH & Co. KG |
| Transilane sugar free | 3 g powder for oral suspension x 20 | <i>Растителен лекарствен продукт</i> | A06AC01 | Laboratoires Innotech International |
| Traumeel S | oral drops, solution – 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Traumeel S | ointment - 50 g | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Traumeel S | oral solution - 2,2 ml x 10 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |

| | | | | |
|---------------------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|----------|-------------------------------------------|
| Traumeel S | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Tribestan | 250 mg film- coated tablets x 60 | <i>Tribulus terrestris extract</i> | G04BX00 | Софарма АД |
| Troxerutin ABR | 20mg/g gel - 40g | <i>Troxerutin</i> | C05CA 4 | Антибиотик - Разград АД |
| Troxerutin DS | gel 2% - 40 g | <i>Troxerutin</i> | C05CA04 | ДАНСОН-БГ ООД |
| Troxerutin Sopharma | gel 2% - 40 g | <i>Troxerutin</i> | C05CA04 | Софарма АД |
| Troxevasin | 2% gel x 20g, x 40g , x 100g | <i>Troxerutin</i> | M01AB 51 | Тева Фарма ЕАД |
| Troxevasin | 300 mg capsules, hard x 50 , x 100 | <i>Troxerutin</i> | C05CA04 | Тева Фарма ЕАД |
| Troxevasin DUO | 30 mg/20 mg/g gel - 45 g | <i>Indometacin/Troxerutin</i> | M01AB 51 | Тева Фарма ЕАД |
| Troximetacin | 30 mg/20 mg/g gel - 40 g | <i>Indometacin/Troxerutin</i> | M01AB 51 | ДАНСОН-БГ ООД |
| Tusari | 75 mg gastro-resistant tablets blisters x 28; x 50 containers x 30; x 50; x 60; x 90; x 100 | <i>Acetylsalicylic acid</i> | B01AC06 | Pfizer Europe MA EEIG |
| Tusari | 100 mg gastro-resistant tablets blisters x 28; x 50 containers x 30; x 50; x 60; x 90; x 100 | <i>Acetylsalicylic acid</i> | B01AC06 | Pfizer Europe MA EEIG |
| Tussavit | 7,53 g /7,53 g/100 g syrup 125 g; 250 g | <i>Thymi folium extr/Plantaginis folium</i> | R05CA00 | Pharmaceutische Fabrik Montavit Ges.m.b.H |
| Tylol | 120 mg/5ml oral suspension -100 ml | <i>Paracetamol</i> | N02BA01 | Нобел Фарма ЕООД |
| Tylol 6+ | 250 mg/5ml oral suspension- 100 ml | <i>Paracetamol</i> | N02BA01 | Нобел Фарма ЕООД |
| Tylol hot | 500 mg/4 mg/60 mg powder for oral suspension x 6; x 12 | <i>Paracetamol/Chlorpheniramine/Pseudoephedrine</i> | N02BE51 | Нобел Фарма ООД |
| Tylol hot D | 500 mg/4 mg/60 mg powder for oral suspension x 6; x 12 | <i>Paracetamol/Chlorpheniramine/Pseudoephedrine</i> | N02BE51 | Нобел Фарма ООД |
| Tylol hot pediatric | 250 mg/2 mg/30 mg powder for oral suspension x 6; x 12 | <i>Paracetamol/Chlorpheniramine/Pseudoephedrine</i> | N02BE51 | Нобел Фарма ООД |
| Tylol Plus | 500 mg/30 mg tablets x 2; x 20 | <i>Paracetamol/Caffeine</i> | N02BA51 | Нобел Фарма ООД |
| Tylolfen Hot | 500 mg/4 mg/10 mg powder for oral suspension x 6; x 12 | <i>Paracetamol/Phenylephrine hydrochloride/ Chlorphenyramine maleate</i> | R05X | Нобел Фарма ООД |
| Umckalor | 20 mg film-coated tablets x 15; x 30 | <i>Растителен лекарствен продукт</i> | R05 | Dr. Willmar Schwabe GmbH & |
| Umckalor | 8 g/10 g oral drops, solution x 20 ml; 50 ml; x 100 ml | <i>Pelargonii sidoidi radices extractum liquidum</i> | R05 | Dr. Willmar Schwabe GmbH & Co.Kg. |

| | | | | |
|---------------------------------------------------------------------|----------------------------------------------------------------|--------------------------------------------------------------|---------|-----------------------------------------------------------|
| Unirex Cardio | 75 mg dispersible tablets x 100 | <i>Acetylsalicylic acid</i> | B01AC06 | Натурпродукт ООД |
| Upsarin C | 330 mg /200 mg effervescent tablets x 10; x 20 | <i>Acetylsalicylic acid/ Ascorbic acid</i> | N02BA51 | UPSA SAS |
| Upsavit Vitamin C | 1g effervescent tablets x 10 | <i>Ascorbic acid</i> | A11GA01 | UPSA SAS |
| Urogutt | 160 mg/120 mg soft capsules x 60; x 120 | <i>Растителен лекарствен продукт</i> | G04CX | Dr. Willmar Schwabe GmbH & Co. KG |
| Vacantil без лекарско предписание при възрастни и деца над 6 години | 2 mg capsules x 10 | <i>Loperamide hydrochloride</i> | A07DA03 | Medochemie Ltd. |
| Valeriana | 30 mg film-coated tablets x 30; x 100 | <i>Valerianae radix extractum siccum</i> | N05CM09 | Софарма АД |
| Valeriana Max | 200 mg film - coated tablets x 20 | <i>Valerianae radix extractum siccum</i> | N05CM09 | Софарма АД |
| Valevit | 100 mg/90 mg coated tablets x 20, x 40 | <i>Растителен лекарствен продукт</i> | N05CM | Pharmazeutische Fabrik Montavit Ges.m.b.h |
| Validol | 60 mg sublingual tablets x 20 | <i>Menthyl valerate</i> | N07X | Фармак - България ООД |
| Venosmil | 200 mg capsules, hard x 20, x 60 | <i>Hidrosmim</i> | C05CA05 | FAES FARMA S.A. |
| Vertigoheel | oral drops, solution - 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Vertigoheel | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Vibrocil | 0,25 % / 0,025 % nasal drops, solution - 15 ml | <i>Dimetindene maleate/Phenylephrine</i> | R01AB01 | GlaxoSmithKline Dungarvan Limited |
| Vibrocil | 0,25 % / 0,025 % nasal gel 12 g | <i>Dimetindene maleate/Phenylephrine</i> | R01AB01 | GlaxoSmithKline Dungarvan Limited |
| Vibrocil без лекарско предписание за възрастни и деца над 6 години | 0,25 % / 0,025 % nasal spray, solution 10 ml | <i>Dimetindene maleate/Phenylephrine</i> | R01AB01 | GlaxoSmithKline Dungarvan Limited |
| Viburcol N | suppositories x 12 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Vicks AntiGrip Complex | 500 mg/200 mg/10 mg powder for oral solution x 5; x 10 sachets | <i>Paracetamol/ Guaifenesin/ Phenylephrine hydrochloride</i> | R05X | Wick Pharma, Zweigniederlassung der Procter & Gamble GmbH |
| Vicks AntiGrip Max | 1000 mg/12,2 mg powder for oral solution x 5; x 10 | <i>Paracetamol/Phenylephrine</i> | N02BE51 | Wick Pharma, Zweigniederlassung der Procter & Gamble GmbH |

| | | | | |
|---------------------------------|---------------------------------------------------------------|-------------------------------------------------------------------------------|---------|-----------------------------------------------------------|
| Vicks Sinex Aloe and Eucalyptus | 0,5 mg/ml nasal spray, solution 15 ml | <i>Oxymetazoline</i> | R01AA05 | Wick Pharma, Zweigniederlassung der Procter & Gamble GmbH |
| Vidistic | 2 mg/g eye gel - 10 g | <i>Carbomer</i> | S01XA20 | Dr. Gerhard Mann ChemischPharmazeutische Fabric |
| Viruxan Forte | 1000 mg powder for oral solution x 24 | <i>Inosine pranobex</i> | J05AX 5 | Ewopharma International s.r.o. |
| Vishiven | 3% cutaneous solution - 100g | <i>Bismuth tribromophenate</i> | D11AX00 | Гален Фарма ООД |
| Visine | 0,5 mg/ml eye drops, solution - 15ml | <i>Tetryzoline</i> | S01GA02 | McNeil Products Limited |
| Visine Sprint | 0,5 mg/ml eye drops, solution - 15ml | <i>Tetryzoline</i> | S01GA02 | McNeil Products Limited |
| Vita-Merfen | 1mg/g + 5mg/g + 2000 IU/g ointment - 20g | <i>Chlorhexidine/Retinol/Benzoxonium chloride</i> | D08AC52 | SWISS PHARMA GmbH |
| Vitamin B 12 Ankermann | 1000 micrograms coated tablets x 50 ; x 100 | <i>Cyanocobalamin</i> | B03BA 1 | Worwag Pharma GmbH & Co. KG |
| Vitamin B 6 Sopharma | 25 mg film-coated tablets x 20 | <i>Pyridoxine</i> | A11HA02 | Софарма АД |
| Vitamin B complex | film-coated tablets x 20 | <i>Thiamine mononitrate/Riboflavine/Pyridoxine hydrochloride/Nicotinamide</i> | A11EA00 | Софарма АД |
| Vitamin D3 Krka | 500 IU tablets - x 30; x 50; x 60; x 90; x 100; x 180; x 200 | <i>Colecalciferol</i> | A11CC 5 | KRKA, d.d., Novo mesto |
| Vitamin D3 Krka | 1000 IU tablets - x 30; x 50; x 60; x 90; x 100; x 180; x 200 | <i>Colecalciferol</i> | A11CC 5 | KRKA, d.d., Novo mesto |
| Vitango | 200 mg film-coated tablets x 15; x 20; x 30; x 40 | <i>Rhodiola</i> | A13A | Dr. Willmar Schwabe GmbH & Co. |
| Voltaren Dolo | 12,5 mg film-coated tablets x 10 | <i>Diclofenac</i> | M01AB05 | GlaxoSmithKline Dungarvan Limited |
| Voltaren Emulgel | 1,16% gel 20 g; 50 g, 5 g; 150 g | <i>Diclofenac</i> | M02AA15 | GlaxoSmithKline Dungarvan Limited |
| Voltaren Forte | 2,32% gel 30 g; 50 g; 60 g; 100 g; 120 g | <i>Diclofenac</i> | M02AA15 | GlaxoSmithKline Dungarvan Limited |
| Vomitusheel | oral drops, solution - 30 ml | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Vomitusheel S | suppositories x 12 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Wishnevsky | 30 mg/30 mg/g ointment 40 g, 75g; | <i>Bismuth Tribromophenate/Juniper Tar</i> | D11AX00 | ДАНСОН-БГ ООД |
| Xylodex | 0,5 mg/ml + 50 mg/ml, nasal spray, solution - 1 x 10 ml | <i>Xylometazoline hydrochloride</i> | R01AB 6 | Zaklady Farmaceutyczne POLPHARMA S.A. |

| | | | | |
|--------------------|-----------------------------------------------------------------------------------------------|----------------------------------------|----------|---------------------------------------|
| Xylodex | 1 mg/ml + 50 mg/ml nasal spray, solution - 1 x 10 ml | <i>Xylometazoline hydrochloride</i> | R01AB 6 | Zaklady Farmaceutyczne POLPHARMA S.A. |
| Xylogel | 0,1% nasal gel – 10 g | <i>Xylometazoline hydrochloride</i> | R01AA07 | Warsaw Pharmaceutical Works Polfa SA |
| Xylometazolin Meda | 1 mg/g nasal drops, solution 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | Meda Pharma GmbH & Co. KG |
| Xylometazolin Meda | 0,5 mg/g nasal drops, solution 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | Meda Pharma GmbH & Co. KG. |
| Xylometazolin WZF | 0,05% nasal drops, solution - 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | Warsaw Pharmaceutical Works Polfa SA |
| Xylometazolin WZF | 0,1% nasal drops, solution - 10 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | Warsaw Pharmaceutical Works Polfa SA |
| Xylorhin | 0,055% nasal spray, solution -18 ml | <i>Xylometazoline hydrochloride</i> | R01AA07 | Adriatic BST d.o.o. |
| Xyzal | 0,5 mg/ml oral drops, solution - 1 x 200 ml | <i>Levocetirizine</i> | R06AE 9 | UCB Pharma GmbH |
| Xyzal | 5 mg film-coated tablets x 7; x 10; x 14; x 20; x 30 | <i>Levocetirizine</i> | R06AE09 | UCB Pharma GmbH |
| Zabak | 0,25 mg/ ml eye drops, solution - 1 x 5 ml | <i>Ketotifen hydrogen fumarate</i> | S01GX08 | LABORATOIRES THEA |
| Zeel T | oral solution 2 ml x 10 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Zeel T | ointment - 50g | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Zeel T | tablets x 50 | <i>Хомеопатичен лекарствен продукт</i> | | Biologische Heilmittel Heel GmbH |
| Zentidol | 400 mg film-coated tablets x 10; x 12; x 20; x 24; x 30; x 36; x 40; x 48; x 50; x 100; x 250 | <i>Ibuprofen</i> | M01AE 1 | Zentiva k.s |
| Zeflavin | 500 mg film - coated tablets x 30; x 60; x 90; x 120; x 180 | <i>Bioflavonoids</i> | C05CA 53 | Zentiva k.s |
| Zerotromb | 100 mg gastro-resistant tablets x 10; x 20; x 28; x 30; x 50; x 56; x 60; x 90; x 100; x 500 | <i>Acetylsalicylic acid</i> | B01AC06 | Stada Arzneimittel AG |
| Zinkorot | 25 mg tablets x 20; x 50; x 100 | <i>Zinc orotate dihydrate</i> | A12CB06 | Worwag Pharma GmbH & Co. KG |
| Zodac | 10 mg film-coated tablets x 10; x 30 | <i>Cetirizine</i> | R06AE07 | Санофи България ЕООД |
| Zovirax | 5% cream - 2g; 10g | <i>Aciclovir</i> | D06BB03 | GlaxoSmithKline Dungarvan Limited |
| Zovirax Duo | 50 mg/g + 10 mg/g cream – 2 g | <i>Aciclovir</i> | D06BB53 | GlaxoSmithKline Dungarvan Limited |
| Zyrtec | 10 mg film-coated tablets x 7; x 10; x 20 | <i>Cetirizine dihydrochloride</i> | R06AE07 | UCB Pharma GmbH |

| | | | | |
|----------------------------------------------------------------------|-------------------------------------------|-----------------------------------------------------------------|---------|-----------------|
| Zyrtec D без лекарско предписание при възрастни и деца над 12 години | 5 mg/120 mg prolonged-release tablets x 6 | <i>Cetirizine dihydrochloride/Pseudoephedrine hydrochloride</i> | R01BA52 | UCB Pharma GmbH |
|----------------------------------------------------------------------|-------------------------------------------|-----------------------------------------------------------------|---------|-----------------|

MA S.A.